STATUTORY INSTRUMENTS

SUPPLEMENT No

Date.....

STATUTORY INSTRUMENTS SUPPLEMENT

to The Uganda Gazette No..., Volume...., dated....., 2021

STATUTORY INSTRUMENTS

2021 No...

THE CIVIL AVIATION (AERIAL WORK) REGULATIONS, 2021.

ARRANGEMENT OF REGULATIONS

Regulation

PART 1 PRELIMINARY PROVISIONS

- 1. Title
- 2. Interpretation
- 3. Application

PART 2 AGRICULTURAL AIR OPERATIONS

- 4. General requirements
- 5. Certificate Required
- 6. Application of Certificate
- 7. Amendment of certificate
- 8. Certification requirements
- 9. Duration of certificate
- 10. Drug trafficking

Part 2.1 Operating rules and related requirements

- 11. General operating rules
- 12. Carrying and display of certificates
- 13. Limitations on private agricultural aircraft operator
- 14. Manner of dispensing.
- 15. Economic poison dispensing
- 16. Personnel
- 17. Fastening of safety belts and harnesses
- 18. Operations in controlled airspace designated for an airport
- 19. Non observance of airport traffic pattern
- 20. Operation over areas other than congested areas
- 21. Operation over congested areas: general

- 22. Operation over congested areas: pilots and aircraft
- 23. Business name: commercial agricultural aircraft operator
- 24. Access for inspection
- 25. Records and reports: commercial agricultural aircraft operator
- 26. Change of address
- 27. Termination of operations

PART 3

ROTORCRAFT EXTERNAL LOAD OPERATIONS

- 28. Application of certification rules
- 29. Rotorcraft external load operator certificate
- 30. Validity and renewal of a rotorcraft external load operator certificate
- 31. Application for certificate issue or renewal
- 32. Issue of a rotorcraft external-load operator certificate
- 33. Rotorcraft
- 34. Personnel
- 35. Knowledge and skill
- 36. Amendment of certificate
- 37. Availability, display and surrender of certificate

Part 3.1 Operating Rules and related requirements

- 38. Emergency operations
- 39. Operating rules
- 40. Carriage of persons
- 41. Crew member training, currency and testing requirements
- 42. Access for inspection

Part 3.2 Airworthiness Requirements

- 43. Flight characteristics requirements
- 44. Structures and design
- 45. Operating limitations
- 46. Rotorcraft-load combination operating manual
- 47. Markings and placards

PART 4 GLIDER TOWING, PICKING UP AND RAISING OF PERSONS AND ARTICLES

- 48. Towing of gliders
- 49. Glider towing: experience and training requirements
- 50. Towing picking up and raising of persons, animals and articles
- 51. Towing operating rules
- 52. Dropping of articles and animals
- 53. Dropping of persons

Part 4.1 Banner Towing

- 54. Authorisation required
- 55. Aircraft requirements

- 56. Experience and training requirements
- 57. Operating rules

PART 5 TELEVISION, MOVIE OPERATIONS AND AERIAL PHOTOGRAPHY AND SURVEY

- 58. Authorisation required
- 59. Aircraft requirements
- 60. Experience and training requirements
- 61. Special authorisation requirements
- 62. Contents of a flight operations manual
- 63. Operating rules
- 64. Exhibition Flights

PART 6 TRAFFIC AND SPORTS REPORTING, FISH SPOTTING,

GAME VIEWING AND SIGHTSEEING

- 65. Sightseeing
- 66. Traffic reporting
- 67. Game viewing or tracking operation
- 68. Competitive motor vehicle operations
- 69. Fish spotting

PART 7

GENERAL

Part 7.1 General Provisions

- 70. Application for Exemptions
- 71. Exemption
- 72. Possession of a Licence, certificate, approval, authorization or exemption
- 73. Drug and alcohol testing and reporting
- 74. Inspection of licence, certificate, approval, authorization or exemption
- 75. Change of name
- 76. Change of address
- 77. Replacement of licence, certificate, approval, authorization or exemption
- 78. Suspension and revocation of licence, certificate, approval, authorization or exemption
- 79. Use and retention of licence, certificate, approval, authorization and records
- 80. Reports of violation
- 81. Enforcement of directives
- 82. Aeronautical user fees
- 83. Application of regulations to Government and visiting forces
- 84. Extra-territorial application of Regulations

Part 7.2 Offences and Penalties

- 85. Contravention of Regulations
- 86. Penalties
- 87. Revocation and savings SCHEDULES Penalties

	PART 1
	PRELIMINARY
Title	 These Regulations shall be cited as the Civil Aviation (Aerial Work) Regulations, 2021 and shall come into force on the xxx day of xxxxxx, 2021
Interpretation	 2. In these Regulations unless the context otherwise requires: "Acceptable" means the Authority has reviewed the method, procedure or policy and has neither objected to nor approved its proposed use or implementation; "Acrobatic flight" means manoeuvres intentionally performed by an aircraft involving an abrupt change in its attitude, an abnormal attitude or an abnormal variation in speed; "aerial work" means an aircraft operation in which an aircraft is used for specialised services including, but not limited to, agriculture, and patrol secret.
	 construction, photography, surveying, observation and patrol, search and rescue and aerial advertisement; "Aerodrome" means a defined area on land or water including any buildings, installations and equipment intended to be used either wholly or in part for the arrival, departure and surface movement of aircraft; "Agreement summary" means, when an aircraft is operating under an Article 83 bis agreement between the State of Registry and another State, the document transmitted with the Article 83 bis Agreement
	 registered with the ICAO Council that identifies succinctly and clearly which functions and duties are transferred by the State of Registry to that other State. "Agricultural Air Operator Certificate" means a certificate authorizing an agricultural operator to carry out specified agricultural operations; "Agricultural Aircraft Operation" means the operation of an aircraft for the purpose of:
	 (a) dispensing any economic poison; or (b) dispensing any other substance intended for plant nourishment, soil treatment, propagation of plant life or pest control; or (c) engaging in dispensing activities directly affecting agriculture, horticulture or forest preservation, but not including the dispensing of live
	insects. "Aircraft" means a machine that can derive support in the atmosphere from the reactions of the air other than the reactions of the air against the earth's surface; "Air Traffic Control (ATC)" means a service that promotes the safe, orderly and expeditious flow of air traffic at aerodromes and during the approach, departure and en route environments;

"Appliance" means any instruments, equipment, apparatus, parts, appurtenances, or accessories, of whatever description, that are used, or are capable of being or intended to be used, in the navigation, operation, or control of aircraft in flight (including parachutes, communication equipment, and any other mechanism or mechanisms installed in or attached to aircraft during flight) and that are not part or parts of aircraft, aircraft engines, or propellers;
"Approved by the Authority" means approved by the Authority directly or in accordance with a procedure approved by the Authority;
"Article" means any item, including but not limited to, an aircraft, airframe, aircraft engine, propeller, appliance, accessory, assembly, subassembly, system, subsystem, component, unit, product or part;
 "ATC facility" means a building holding the persons and equipment responsible for providing ATC services for example, airport tower, approach control, area control; "Authority" means the Civil Aviation Authority established under section 3 of the Civil Aviation Authority Act;
"Banner " means an advertising medium supported by a temporary framework attached externally to the aeroplane and towed behind the aeroplane;
 "Commercial Agricultural Air Operator Certificate" means a certificate authorizing a person to carry out specified agricultural operations for compensation and hire; "Critical engine" means the engine whose failure would most adversely affect the performance or handling qualities of an aircraft;
"Drug trafficking" means carriage by aircraft of narcotic drugs, marijuana and depressant or stimulant drugs or substances;
"Economic poison " means any substance or mixture of substances intended for preventing, destroying, repelling or mitigating any insects, rodents, nematodes, fungi, weeds and other forms of plant or animal life or viruses, except viruses on or in living human beings or other animals, which Uganda shall declare to be a pest and use as a plant regulator, defoliant or desiccant;
"Exhibition of flying" means any flying activity deliberately performed for the purpose of providing an exhibition or entertainment at an advertisement open to the public;
 "Facility" means a physical plant, including land, buildings, and equipment, that provides a means for the conduct of the activities approved by the Authority for an approved or certificated entity; "Flight crew member" means a licensed crew member charged with duties essential to the operation of an aircraft during flight duty period;

"Flight time" means the period of time that an aircraft moves under its own power for the purpose of flight, ending when the aircraft comes to rest after it is parked, with engine(s) shut down
"Flight training " means training, other than ground training, received from an authorised instructor in flight in an aircraft;
"Glider" means a non-power-driven heavier-than-air aircraft, deriving its lift in flight chiefly from aerodynamic reactions on surfaces, that remain fixed under given conditions of flight;
"Helicopter" means a heavier-than-air aircraft supported in flight chiefly by the reactions of the air on one or more power- driven rotors on substantially vertical axis;
"Night" means the hours between the end of evening civil twilight and the beginning of morning civil twilight or the time between fifteen minutes after sunset and fifteen minutes before sunrise, sunrise and sunset being determined at surface level, and includes any time between sunset and sunrise when an unlighted aircraft or other unlighted prominent object cannot clearly be seen at a distance of 4,572 metres;
"Operator " means a person, organisation, or enterprise engaged in or offering to engage in an aircraft operation and who causes or authorises the operation of an aircraft, such as the owner, lessee, or bailee of an aircraft, and/or the PIC;
"Person" means an individual, firm, partnership, corporation, company, association, joint stock association, or body politic, including any trustee, receiver, assignee, or other similar representative of these entities;
"Pilot-in-command (PIC)" means the pilot responsible for the
operation and safety of the aircraft during flight time;
"Powerplant" means an engine that is used or intended to be used for propelling aircraft including turbo superchargers, appurtenances and
accessories necessary for its functioning, but does not include propellers;
"Prescribed" means the Authority has issued written policy or methodology which imposes either a mandatory requirement, if the written policy or methodology states "shall," or a discretionary requirement if the written policy or methodology states "may";
"Private agricultural air operator certificate" means a certificate
authorizing a person to carry out specified private agricultural operations; "Propeller" means a device for propelling an aircraft that has blades on a powerlant driven shaft and that when rotated, produces by its action on
powerplant driven shaft and that, when rotated, produces by its action on the air, a thrust approximately perpendicular to its plane of rotation and includes control components normally supplied by its manufacturer, but does not include main and auxiliary rotors or rotating airfoils of powerplants:
powerplants; "Rotorcraft" means a power-driven heavier-than-air aircraft supported in
flight by the reactions of the air on one or more rotors;
"Rotorcraft load combinations" means configurations for external loads carried by rotorcraft

	 (a) class A—external-load fixed to the rotorcraft, cannot be jettisoned and does not extend below the landing gear, used to transport cargo;
	(b) class B—external-load suspended from the rotorcraft, which can be jettisoned and is transported free of land or water during rotorcraft operations;
	(c) class C—external-load suspended from the rotorcraft, which can be jettisoned, but remains in contact with land or water during rotorcraft operation;
	(d) class D—external-load suspended from the rotorcraft for the carriage of persons;
	"Restricted certificate of airworthiness" means a certificate issued to an aircraft which does not qualify for an issue of a certificate of airworthiness;
	 "Standard" means an object, artifact, tool, test equipment, system or experiment that stores, embodies or otherwise provides a physical quantity, which serves as the basis for measurement of the quantity and includes a document describing the operations and processes that shall be performed in order for a particular end to be achieved; "State of design" means the State having jurisdiction over the organisation responsible for the type design;
	"Substance" means alcohol, sedatives, hypnotics, anxiolytics, hallucinogens, opioids, cannabis, inhalants, central nervous system stimulants such as cocaine, amphetamines and similarly acting sympathomimetics, phencyclidine or similarly acting arylcyclohexylamines and other psychoactive drugs and chemicals; and
	"Training programme" means a programme that consists of courses, courseware, facilities, flight training equipment and personnel necessary to accomplish a specific training objective; and includes a core curriculum and a specialty curriculum.
Application	3. These regulations shall apply to those operators that are conducting aerial work and operations that are considered to be aerial work in Uganda, including:
	 (a) agricultural operations and the issue of commercial and private agricultural air operator certificate for those operations; (b) rotorcraft external load operations; (c) Glider and banner towing; and (d) aircraft operations and authorisations for game viewing, vehicle traffic and sports, sight- seeing, television and movie, aerial photography and aerial survey operations

	PART 2 AGRICULTURAL AIR OPERATIONS
General requirements	 4. (1) These requirements shall apply to: (a) agricultural aircraft operations within Uganda; and (b) the issue of commercial and private agricultural aircraft operator certificates for those operations.
	(2) In a public emergency, a person conducting agricultural aircraft operations may to the extent necessary, deviate from these regulations in order to perform relief and welfare activities approved by the Authority.
	 (3) A person who deviates from these regulations shall, within 14 days after the deviation, send to the Authority a complete report of the aircraft operation involved, including a description of the operation and the reasons for it
Certificate Required	 5. (1) Except as provided in sub-regulations (2) and (3), a person shall not conduct agricultural air operations without or in violation of, an agricultural air operator certificate issued under these Regulations. (2) An operator may conduct agricultural aircraft operations using a rotorcraft with external dispensing equipment in place without a rotorcraft external-
	 (3) A holder of a rotorcraft external-load operator certificate conducting agricultural aircraft operations, involving only the dispensing of water on
Application for Certificate	forest fires by rotorcraft external-load means, need not comply with this subpart a government entity conducting agricultural aircraft operations with public aircraft need not comply with this Regulation6. An applicant for an agricultural air operator certificate shall complete and
Amendment of certificate	 submit an application form prescribed by the Authority. 7. (1) An agricultural air operator certificate (AAOC) may be amended: (a) on the Authority's own initiative under applicable laws and regulations; and
	 and (b) upon application by the holder of that certificate. (2) A holder of the certificate shall submit an application to amend an AAOC by completing a form prescribed by the Authority. (3) An applicant for an amendment under this regulation shall file the
	(3) An applicant for an amendment under this regulation shall me the application to amend a certificate at least 30 days before the date that it proposes the amendment shall become effective, unless the Authority approves a shorter filing period.
	(4) The Authority shall grant a request to amend a certificate where it determines that it is in interest of flight safety or in public interest.

Certification Requirements	8. (1) Except as provided by sub-regulation (2)—
	 (a) the Authority may issue a private agricultural air operator certificate (AAOC) if an applicant meets the requirements of this Part for that certificate;
	 (b)the Authority may issue a commercial AAOC to an applicant if he or she meets the requirements of this Part for that certificate;;and (c) An applicant for an AAOC with a prohibition against the dispensing of economic poisons is not required to demonstrate knowledge specific to economic poisons.
	 (2) Pilots: (a) A private AAOC applicant shall: (i)engage the services of pilot who holds a current private pilot licence (PPL), commercial pilot licence (CPL) or airline transport pilot licence (ATPL); (ii)appropriately rated on the aircraft to be used; and
	(iii) not conduct operations for hire or reward.
	(b) A commercial AAOC applicant shall:
	 (i) have available the services of at least one pilot who holds a current CPL or ATPL issued by the Authority and who is properly rated for the aircraft to be used;and (ii) possess an air service licence issued under the Civil Aviation (Licensing of Air Services) Regulations, as amended.
	(3)Aircraft: The applicant for a private or commercial agricultural air operator certificate shall have one or more certified and airworthy aircraft, equipped for agricultural operation.
	(4) Knowledge and skill tests:
	(a)The applicant shall show, or shall have the person who is designated as the chief supervisor of agricultural aircraft operations for him or her show, that the applicant meets the following knowledge and skill of the following agricultural aircraft operations:
	(i) steps to be taken before starting operations, including a survey of the area to be worked;
	(ii) safe handling of economic poisons and the proper disposal of used containers for those poisons;
	 (iii) the general effects of economic poisons and agricultural chemicals on plants, animals and persons and the precautions to be observed in using poisons and chemicals;
	(iv) primary symptoms of poisoning of persons from economic poisons, the appropriate emergency

	measures to be taken and the location of poison control centres;
	(v)performance capabilities and operating limitations of the aircraft to be used; and(vi) safe flight and application procedures.
	 (b) skill in the following manoeuvres, demonstrated at the aircraft's maximum certified take-off mass or the maximum mass established for the special purpose load, whichever is greater: (i) short-field and soft-field takeoffs (aeroplanes and gyroplanes only); (ii) approaches to the working area; (iii) flare-outs; (iv) swath runs; (v) pullups and turnarounds;
	(vi) rapid deceleration (quick stops) in helicopters only.
Duration of certificate	 9. (1) An agricultural aircraft operator certificate (AAOC) shall be valid for 12 months from the date of issue or renewal, unless: (a) a shorter period is specified by the Authority; (b) the Authority amends, suspends, revokes or otherwise terminates the certificate; (c) the AAOC holder surrenders it to the Authority; or (d) the AAOC holder suspends operations for more than one hundred eighty continuous days. (2) The holder of an AAOC that is suspended or revoked shall return it to the Authority. (3) An application for renewal of an AAOC shall be made on a form prescribed by the Authority at least sixty days before the certificate expires. (4) Where the request for renewal is made after the expiry of an AAOC, the applicant shall make an initial application
Drug trafficking	10. Where the holder of a certificate issued under these Regulations permits any aircraft owned or leased by that holder to be engaged in any operation that the certificate holder knows to be in violation of any laws of Uganda pertaining to drug trafficking, the Authority shall suspend or revoke the certificate
	Part 2.1 Operating Rules and Related Requirements
General Operating Rules	11. (1) Except as provided in sub-regulation (3), this sub- part prescribes rules that apply to persons and aircraft used in agricultural aircraft operations conducted under these Regulations

	 (2) A holder of an agricultural air operator certificate may deviate from the provisions of the Civil Aviation (Air Operator Certification and Administration) and the Civil Aviation (Rules of the Air and Air Traffic Control) Regulations without obtaining an exemption when conducting aerial work operations related to agriculture, horticulture, or forest preservation in accordance with the operating provisions of this sub-part. (3) The operating rules of this subpart apply to rotorcraft external-load operator certificate holders conducting agricultural aircraft operations involving only the dispensing of water on forest fires by rotorcraft external-load means.
Carrying and display of Certificates	 12. (1) A person shall not operate an agricultural aircraft unless each of the following documents are carried on that aircraft: a. a copy of agricultural aircraft operator certificate b. certificate of registration; and c. certificate of airworthiness.
	(2) A holder of an AAOC shall display the certificate at the home base of operations, to the public at all times and shall present it for inspection on the request of the Authority or any person authorised by the Authority.
	(3) Where the documents specified in sub-regulation (1) are not carried in the aircraft, they shall be kept available for inspection at the base from which the dispensing operation is conducted
Limitations on private agricultural	13. A holder of a private agricultural air operator certificate shall not conduct an agricultural air operation:
aircraft operator	(a) for compensation or hire;
	(b) over a congested area; or
	(c) over any property unless the person is the owner or lessee of the property, or has ownership or other property interest in the crop located on that property.
Manner of dispensing	14. A person shall not dispense or cause to be dispensed any material or substance in a manner that creates a hazard to persons or property on the surface.
Economic poison dispensing	 15. (1) Except as provided in sub-regulation (2), a person shall not dispense or cause to be dispensed from an aircraft that is registered in Uganda, any economic poison under the Pest Control Act: (a) for a use other than that for which it is registered; (b) contrary to any safety instructions or use limitations on its label; or (c) in violation of any laws of Uganda.
	(2) This regulation does not apply to any person dispensing economic poisons for experimental purposes under:
	(a) the supervision of a Uganda agency authorised by law to conduct research in the field of economic poisons; or

	b) the relevant Authority.
Personnel	16. (1) A holder of an agricultural air operator certificate shall ensure that each person used in the holder's agricultural aircraft operation is informed of his or her duties and responsibilities for the operation.
	(2) A person shall not supervise an agricultural air operation unless the person has met the knowledge and skill requirements specified in these Regulations.
	 (3)A person shall not act as a pilot in command of an aircraft operated under these Regulations unless that pilot: (a) holds a pilot licence and rating as specified in regulation 8 as appropriate to the type of operation conducted; and (b) has demonstrated to the holder of the agricultural air operator certificate conducting the operation or to a supervisor designated by that certificate holder, that they posses the knowledge and skill requirements of these Regulations.
Fastening of safety belts and harnesses	17. A person shall not operate an aircraft under these Regulations without a safety belt and shoulder harness properly secured about that person, except that the shoulder harness need not be fastened if that person would be unable to perform required duties with the shoulder harness fastened.
Operations in controlled airspace designated for an airport	18. (1) Except for flights to and from a dispensing area, a person shall not operate an aircraft within the lateral boundaries of the surface area of class D airspace designated for an aerodrome unless authorisation for that operation has been obtained from the air traffic control (ATC) facility having jurisdiction over that area.
	(2) A person shall not operate an aircraft in weather conditions below visual flight rules minima within the lateral boundaries of a Class E airspace area that extends upward from the surface unless authorisation for that operation has been obtained from the ATC facility having jurisdiction over that area.
	(3) The holder of a rotorcraft external-load operator certificate shall submit to the Authority a current and valid standard or restricted certificate of airworthiness, in accordance with Regulation 15, for each aircraft to be added to the certificate.
	(4) A certificate holder may operate an aircraft under special VFR weather minimum conditions.
Non observance of airport traffic pattern	19. (1) A pilot in command (PIC) of an aircraft may deviate from an airport traffic pattern when authorized by the control tower concerned.
	(2) At an airport without a functioning control tower, the PIC may deviate from the traffic pattern where:
	(a) prior coordination is made with the airport management concerned;
	(b) deviations are limited to the agricultural aircraft operation;

	 (c) except in an emergency, landing and takeoffs are not made on ramps, taxiways or other areas of the airport not intended for such use; and
	(d) the aircraft at all times remains clear of and gives way to, aircraft conforming to the traffic pattern for the airport.
Operation over areas other than congested areas	20. Notwithstanding the requirements of the Civil Aviation (Rules of the Air) and Civil Aviation (Air Traffic Control) Regulations, the holder of a certificate may conduct dispensing operations, including approaches, departures and turnarounds reasonably necessary for the operation, below 500 feet above the surface and closer than 500 feet to persons, vessels, vehicles and structures, if the operations are conducted without creating a hazard to persons or property on the surface.
Operation over congested areas: General	21. (1) A person shall not operate an aircraft over a congested area at altitudes required for the proper accomplishment of the agricultural aircraft operation where that operation is not conducted:
	(a) with the maximum safety to persons and property on the surface, consistent with the operation; and
	(b) in accordance with the requirements of sub- regulation (2).(2) A person shall not operate an aircraft over a congested area unless
	that person:
	(a) has obtained prior written approval from the Authority and other relevant authorities having jurisdiction over that area.(b) has issued notice of the intended operation to the public as specified by the Authority.
	 (c) A plan for each complete operation shall be submitted to, and approved by, the Authority which plan shall include (i) consideration of obstructions to flight;
	 (ii) the emergency landing capabilities of the aircraft to be used; and (iii) any necessary coordination with air traffic control.
	(3) No person operating single engine aircraft-(a) except for helicopters, may take off a loaded aircraft or make a
	turnaround over a congested area;
	(b)shall operate the aircraft over a congested area below the altitudes prescribed in the Civil Aviation (Rules of the Air and air Traffic Control) Regulations except during the actual approaches and departures necessary for that operation; or
	(c) operate the aircraft over a congested area during the actual dispensing operation, including the approaches and departures for that operation, unless the aircraft is operated in a pattern and at such an altitude that the aircraft can land, in an emergency, without endangering persons or property on the surface.
	 (4) A person operating a multiengine aircraft shall not: (a) take-off a multiengine aircraft over a congested area except under conditions that will allow the aircraft to be brought

[
	 to a safe stop within the effective length of the runway from any point on takeoff up to the time of attaining, with all engines operating at normal takeoff power, 105 percent of the minimum control speed with the critical engine inoperative in the takeoff configuration or 115 percent of the power-off stall speed in the take-off configuration, whichever is greater, as shown by the accelerate stop distance data, provided that, the takeoff data is based upon still-air conditions, and no correction is made for any uphill gradient of one percent or less when the percentage is measured as the difference between elevation at the end points of the runway divided by the total length and for uphill gradients greater than one percent, the effective takeoff length of the runway is reduced 20 percent for each one-percent grade; (b) operate the multiengine aircraft at a weight greater than the weight that, with the critical engine inoperative, would permit a rate of climb of at least 50 feet per minute at an altitude of at least 1000 feet above the elevation of the highest ground or obstruction with the area to be worked on or at an altitude of 5,000 feet, whichever is higher, provided that the propeller of the inoperative engine is in the minimum drag position, that the wing flaps and landing gear are in the most favourable positions and that the remaining engine or engines are operating at the maximum continuous power available; or (c) operate the multiengine aircraft over a congested area below the altitudes prescribed in the Civil Aviation (Rules of the Air and Air Traffic Control) Regulations, except during the actual dispensing operation, including the approaches, departures and turnarounds necessary for that operation.
	(5) Each certificate holder shall issue notice of the intended operation to the public as specified by the Authority.
Operation over congested areas:	22. (1) A person shall not operate an aircraft over a congested area unless the pilot in command (PIC) of the aircraft has at least:
pilots and Aircraft	 (a) 25 hours of PIC flight time in the make and basic model of the aircraft, at least 10 hours of which shall have been acquired within the preceding 12 calendar months; and
	(b) 100 hours of flight experience as PIC in dispensing agricultural materials or chemicals.
	 (2) A person shall not operate an aircraft over a congested area unless the aircraft, where it is: (<i>a</i>) an aircraft not specified in this paragraph, has had within the preceding 100 hours of time in service a 100-hour or annual inspection by a person authorized by the Authority under the Civil Aviation (Airworthiness of

	 Aircraft) Regulations or has been inspected under a progressive inspection system; (b) a large or turbine-powered multiengine aircraft of Ugandan registry, has been inspected in accordance with the applicable inspection programme requirements of Civil Aviation (Airworthiness of Aircraft) Regulations (c) not a helicopter, the aircraft shall be equipped with a device capable of jettisoning at least one-half of the aircraft's maximum
	authorized load of agricultural material within 45 seconds; and (d) equipped with a device for releasing the tank or hopper as a unit, there must be means to prevent inadvertent release by the pilot or other crew member.
Business name: commercial agricultural aircraft operator	23. A person shall not operate under a business name that is not shown on that person's agricultural air operator certificate.
Access for inspection	24. A holder of an agricultural air operator certificate (AAOC) shall allow the Authority at any time and place to make inspections, including on the job inspections, to determine compliance with applicable regulations and the AAOC requirements.
Records and Reports: Commercial Agricultural aircraft operator	 25. (1) A holder of a commercial agricultural air operator certificate shall maintain and keep current, at the home base designated in its application, the following records: (a) the name and address of each person for whom agricultural air operator services were provided;
	(b) the date of the service;(c) the name and quantity of the material dispensed for each operation
	conducted; and(d) the name, address, and certificate number of each pilot used in agricultural aircraft operations and the date that pilot met the knowledge and skill requirements of this regulation.
	(2) The records shall be kept for at least 12 months and shall be made available for inspection by the Authority upon request.
Change of Address	26. Each holder of an agricultural aircraft operator certificate shall notify the Authority in writing in advance of any change in the address of its main base of operations.
Termination of Operations	27. Where a certificate holder ceases operations under this part, it shall surrender that certificate to the designated office of the Authority.
	PART 3 ROTORCRAFT EXTERNAL LOAD OPERATIONS

Application of	28. (1) This Regulation specify:	
certification rules	(a) Airworthiness requirements for rotorcraft used in external-load	
	operations; and Operating and	
	certification rules governing the conduct of rotorcraft external-load	
	operations in Uganda	
	(2) This certification requirement does not apply to:	
	(a) a rotorcraft manufacturer when developing external-load attaching	
	means;	
	(b) a rotorcraft manufacturers demonstrating compliance of equipment utilized under this Part;	
	(c) operations conducted by a person demonstrating compliance for the	
	issuance of a certificate or authorisation under this Part;	
	(d)training flights conducted in preparation for the demonstration of	
	compliance with this Part; or	
	(e)a local or national government conducting operations with state	
	aircraft.	
	(3) For the purpose of this regulation, a person other than a crew member or a	
	person who is essential and directly connected with the external-load operation may be carried only in approved Class D rotorcraft-load	
	combinations.	
Rotorcraft external	29. (1) A person shall not conduct rotorcraft external-load operations	
load operator	within Uganda without or in violation of the terms of a rotorcraft	
certificate	external-load operator certificate issued by the Authority.	
	(2) A person holding a rotorcraft external-load operator certificate shall not	
	conduct rotorcraft external-load operation under a business name that is not	
X7-1: 1:4 1	shown on that certificate.	
Validity and renewal of a	30. (1) A rotorcraft external-load operator certificate shall be valid for a period of 12 months from the date of issue or renewal unless it is	
rotorcraft external	otherwise surrendered, suspended or revoked.	
load operator	(2) The holder of a rotorcraft external-load operator certificate that is	
certificate	suspended or revoked shall return it to the Authority within 14 days of the	
	suspension or revocation.	
	(3) An application for renewal of a rotorcraft external-load operator certificate	
	shall be made on a form prescribed by the Authority not later than 60 days before the certificate expires	
	(4) An applicant for a rotorcraft external-load operator	
	certificate which has expired shall make an initial application.	
Application for	31. An application for issue or renewal of a certificate under these	
certificate	Regulations shall be made on a form prescribed by the Authority.	
issue or renewal Issue of a rotorcraft	32 The Authority shall issue a rotorgraft external load operator cortificate	
external load	32. The Authority shall issue a rotorcraft external-load operator certificate to an applicant who complies with the requirements of this Part, with	
operator	an authorisation for the applicant to operate specified rotorcraft with	
certificate	those classes of rotorcraft load combinations for which the applicant	
-	qualifies.	
Rotorcraft	33. (1) An applicant for a rotorcraft external-load operator certificate shall	
	have the exclusive use of at least one rotorcraft that:	

	1			
	(a) is type certificated and meets the requirements of			
	these Regulations;			
	(b) complies with the certification provisions that			
	apply to external load combinations for which			
	authorisation is requested; and			
	(c) has a valid certificate of airworthiness.			
	(2) For the purposes of sub-regulation (1), a person has exclusive use of a rotorcraft if that person has the sole possession, control and use of it for flight, as owner or has a written agreement, including arrangements for the performance of required maintenance, giving him or her that possession, control and use.			
Personnel	34. (1) An applicant for a rotorcraft external-load operator certificate shall hold, or have available the services of at least one person who holds a current commercial pilot licence or airline transport pilot licence, with a rating appropriate for the rotorcraft to be used, issued by the Authority.			
	(2) An applicant shall designate one pilot, who may be the applicant, as chief pilot for rotorcraft external-load operations.			
	(3) An applicant shall designate a qualified pilot as chief pilot to perform the functions of the chief pilot.			
	(4) The chief pilot shall be acceptable to the Authority and shall hold a current commercial pilots licence or airline transport pilots licence,			
	with a rating appropriate for the rotorcraft to be used.			
	(5) The holder of a rotorcraft external-load operator certificate shall report any			
	change in designation of chief pilot immediately to the Authority.			
	(6) A designated chief pilot shall comply with the knowledge and skill requirements of this Part within 30 days or the operator shall not conduct further operations under the rotorcraft external-load operator certificate, unless			
	otherwise authorised by the Authority			
Knowledge and skill	35. (1) Except as provided in sub-regulation (4), the applicant for a certificate or the chief pilot designated in accordance with regulation 31(2) shall demonstrate to the Authority satisfactory knowledge and skill regarding rotorcraftexternal-load operations as set out in sub-regulation (2) and (3).			
	(2) The applicant or a chief pilot referred to in sub regulation			
	(1) shall take a test of knowledge covering the following subjects—(a) steps to be taken before starting operation, including a survey of the flight			
	area;			
	(b) proper method of loading, rigging or attaching the external load;			
	(c) performance capabilities, under approved operating procedures and			
	limitations of the rotorcraft to be used;			
	(d) proper instructions of flight crew and ground workers;			
	(e) appropriate rotorcraft-load combination flight manual.			
	(3) A skill test which requires appropriate manoeuvres for each class requested			
	and the following appropriate manoeuvres for each load class shall be			
	demonstrated in the rotorcraft referred to in regulation 30:			
	(a) take-offs and landings;			
	(b) demonstration of directional control while			
	hovering;			
	(c) acceleration from a hover;			

	(d) flight at operational airspeeds;		
	(e) approaches to landing or working area;		
	(f) manoeuvring the external load into the release		
	position; and		
	(g) demonstration of winch operation if it is installed		
	to hoist the external load.		
	(4) Compliance with sub-regulations (2) and (3) need not be shown if the		
	Authority finds, on the basis of the applicant's or his or her designated chief		
	pilot's previous experience and safety record in rotorcraft external load		
	operations, that his or her knowledge and skill are adequate.		
Amendment of	36. (1) A holder of a rotorcraft external-load certificate may apply to the		
certificate	Authority for an amendment of the certificate, to add or delete a		
	rotorcraft-load combination authorisation.		
	(2) The holder of a rotorcraft external-load certificate may apply for an		
	amendment to add or delete a rotorcraft authorisation by submitting to the		
	Authority a new list of rotorcraft, by national and registration marks, with the		
	classes of rotorcraft-load combinations for which authorisation is		
	requested.		
Availability, display	37. (1) A holder of a rotorcraft external-load operator certificate shall display		
and	and keep that certificate and a list of authorized rotorcraft at the home		
surrender of	base of operations and shallmake it available for inspection by the		
certificate	Authority upon request.		
	(2) A person conducting a rotorcraft external-load operation shall carry a copy of		
	the rotorcraft external-load operator certificate certified by the Authority in each		
	rotorcraft used in the operation.		
	(3) Where the Authority suspends or revokes a rotorcraft external-load operat		
	certificate, the holder of that certificate shall return it to the Authority within 1		
	days of the suspension or revocation days.		
	(4) Where the certificate holder, for any other reason, discontinues operations		
	under the certificate and does not resume operations within 6 months, the		
	certificate holder shall return the certificate to the Authority.		
	Part 3.1: Operating Rules and Related Requirements		
Emergency	38. (1) In an emergency involving the safety of persons or property, the		
operations	certificate holder may deviate from the provisions of these Regulations to		
	the extent required to meet that emergency.		
	(2) A person who, in an emergency deviates from the requirements of these		
	Regulations, shall notify the Authority within 10 days after the deviation.		
	(3) Upon the request of the Authority, the person who deviated from the		
	requirement of these Regulations shall provide the Authority with a complete		
	report of the aircraft operation involved including a description of the deviation		
	and reasons for it.		
Operating rules	39. (1) A person shall not conduct a rotorcraft external-load operation		
	without, or contrary to, the rotorcraft external-load combination operating		
	manual prescribed in regulation 43.		
	(2) A person shall not conduct a rotorcraft external load operation unless:		
	(a) the rotorcraft complies with the provisions of regulation 30; and		
	(<i>b</i>) the rotorcraft load combination is authorised under the rotorcraft external-load operator certificate.		

 (3) Before a person operates a rotorcraft with an external-load configuration that differs substantially from any that person has previously carried with that type of rotorcraft, whether or not the rotorcraft-load combination is of the same class, that person shall conduct, in a manner that shall not endanger persons or property on the surface, such of the following flight operational checks as the Authority determines are appropriate to the rotorcraft-load combination; (a) a determination that the weight of the rotorcraft load combination; (a) a determination that the weight of the rotorcraft load does not interfere with devices provided for its emergency release; (b) make an initial lift-off and verify that controllability is satisfactory; (c) while hovering, verify that directional control is adequate; (d) accelerate into forward flight to verify that no attitude, whether of the rotorcraft or of the external load, is accountered in which the rotorcraft is uncontrollable or which is otherwise hazardous. (e) in forward flight, check for hazardous oscillations of the external load, but if the external load is not visible to the pilol, other crew members or ground personnel shall make this check and signal the pilot; and (f) norease the forward airspeed an determine an operational airspeed at which no hazardous oscillation or hazardous acrodynamic turbulence is encountered. (a) the operator shall develop a plan for each complete operation and obtain approval for the operation from the Authority; (b) the plan shall include an agreement with the relevant authority in whose jurisdicion the operator shall develop a plan for each complete operation and obtain approval for the operation from the Authority; (b) the plan shall include an agreement with the relevant authority in whose jurisdicion in the operations and exiting a mazerous or property on the surface. (c)		
determines are appropriate to the rotorcraft-load combination; (a) a determination that the weight of the rotorcraft load combination and the location of its centre of gravity are within approved limits, that the external load is securely fastened, and that the external load does not interfere with devices provided for its emergency release; (b) make an initial lift-off and verify that controllability is satisfactory; (c) while hovering, verify that directional control is adequate; (d) accelerate into forward flight to verify that no attitude, whether of the rotorcraft or of the external load, is encountered in which the rotorcraft is uncontrollable or which is otherwise hazardous; (e) in forward flight, check for hazardous oscillations of the external load, but if the external load is not visible to the pilot, other crew members or ground personnel shall make this check and signal the pilot; and (f) increase the forward airspeed and determine an operational airspeed at which no hazardous oscillation or hazardous aerodynamic turbulence is encountered. 4) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations, the holder of a rotorcraft external-load operation and conduct rotorcraft external-load operations over congested areas if those operations are conducted without hazard to persons or property on the surface and comply with the following: (a) the operator shall develop a plan for each complete operation and obtain approval for the operation from the Authority; (b) the plan shall include an agreement with the relevant authority in whose jurisdiction the operation shall be conducted, coordination with air traffic control, if necessary and a deta		differs substantially from any that person has previously carried with that type of rotorcraft, whether or not the rotorcraft-load combination is of the same class, that person shall conduct, in a manner that shall not endanger persons or property on
 combination and the location of its centre of gravity are within approved limits, that the external load is securely fastened, and that the external load does not interfere with devices provided for its emergency release; (b) make an initial lift-off and verify that controllability is satisfactory; (c) while hovering, verify that directional control is adequate; (d) accelerate into forward flight to verify that no attitude, whether of the rotorcraft or of the external load, is encountered in which the rotorcraft is uncontrollable or which is otherwise hazardous; (e) in forward flight, check for hazardous oscillations of the external load, but if the external load is not visible to the pilot, other crew members or ground personnel shall make this check and signal the pilot; and (f) increase the forward airspeed and determine an operational airspeed at which no hazardous oscillation or hazardous aerodynamic turbulence is encountered. 4) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations, the holder of a rotorcraft external-load operation gerificate may conduct rotorcraft external-load operations over congested areas if those operations are conducted without hazard to persons or property on the surface and comply with the following: (a) the operator shall develop a plan for each complete operation and obtain approval for the operation from the Authority; (b) the plan shall include an agreement with the relevant authority in whose jurisdiction the operations of the Civil Aviation (Operation of Aircraft) Regulations, the shall allow a jettisonable external load to be released and the rotorcraft landed, in an emergency without hazard to persons or property on the surface. (c) a flight shall allow a jettisonable external load operations, including approaches, departures and positioning manoeuvres necessary for the operati		
 limits, that the external load is securely fastened, and that the external load does not interfere with devices provided for its emergency release; (b) make an initial lift-off and verify that controllability is satisfactory; (c) while hovering, verify that directional control is adequate; (d) accelerate into forward flight to verify that no attitude, whether of the rotorcraft or of the external load, is encountered in which the rotorcraft is uncontrollable or which is otherwise hazardous; (e) in forward flight, check for hazardous oscillations of the external load, but if the external load is not visible to the pilot, other crew members or ground personnel shall make this check and signal the pilot; and (f) increase the forward airspeed and determine an operational airspeed at which no hazardous oscillation or hazardous aerodynamic turbulence is encountered. 4) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations, the holder of a rotorcraft external-load operator certificate may conduct rotorcraft external-load operations over congested areas if those operations are conducted without hazard to persons or property on the surface and comply with the following: (a) the operator shall develop a plan for each complete operation and obtain approval for the operation shal be conducted, coordination with air traffic control, if necessary and a detailed chart depicting the flight routes and altitudes; (c) a flight shall be conducted at an altitude and on a route that shall allow a jettisonable external load to be released and the rotorcraft landed, in an emergency without hazard to persons or property on the surface. (5) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations and except as provided in regulation 42(2), a holder of a rotorcraft external-load operator scensary for the operation		
if the external load is not visible to the pilot, other crew members or ground personnel shall make this check and signal the pilot; and (f) increase the forward airspeed and determine an operational airspeed at which no hazardous oscillation or hazardous aerodynamic turbulence is encountered.4) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations, the holder of a rotorcraft external-load operator certificate may conduct rotorcraft external-load operations over congested areas if those operations are conducted without hazard to persons or property on the surface and comply with the following: (a) the operator shall develop a plan for each complete operation and obtain approval for the operation from the Authority; (b) the plan shall include an agreement with the relevant authority in whose jurisdiction the operation shall be conducted, coordination with air traffic control, if necessary and a detailed chart depicting the flight routes and altitudes; (c) a flight shall be conducted at an altitude and on a route that shall allow a jettisonable external load to be released and the rotorcaft landed, in an emergency without hazard to persons or property on the surface.(5) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations and except as provided in regulation 42(2), a holder of a rotorcraft external-load operator seconducted without creating a hazard to persons or property on the surface.(6) A person shall not conduct rotorcraft external-load operations under instrument flight rules (IFR) unless specifically approved by the Authority.(7) Subject to sub-regulation (6), no person shall be carried as part of the external- load under (IFR) operations. Carriage of persons4040 (1) A holder of a rotorcraft external-lo		 limits, that the external load is securely fastened, and that the external load does not interfere with devices provided for its emergency release; (b) make an initial lift-off and verify that controllability is satisfactory; (c) while hovering, verify that directional control is adequate; (d) accelerate into forward flight to verify that no attitude, whether of the rotorcraft or of the external load, is encountered in which the rotorcraft is uncontrollable or which is otherwise hazardous;
ground personnel shall make this check and signal the pilot; and (f) increase the forward airspeed and determine an operational airspeed at which no hazardous oscillation or hazardous aerodynamic turbulence is encountered.4) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations, the holder of a rotorcraft external-load operator certificate may conduct rotorcraft external-load operator corrificate may conduct rotorcraft external-load operator sproperty on the surface and comply with the following: (a) the operator shall develop a plan for each complete operation and obtain approval for the operation from the Authority; (b) the plan shall include an agreement with the relevant authority in whose jurisdiction the operation shall be conducted, coordination with air traffic control, if necessary and a detailed chart depicting the flight routes and altitudes; (c) a flight shall be conducted at an altitude and on a route that shall allow a jettisonable external load to be released and the rotorcraft landed, in an emergency without hazard to persons or property on the surface.(5) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations and except as provided in regulation 42(2), a holder of a rotorcraft external-load operator certificate may conduct external load operations, including approaches, departures and load positioning manoeuvres necessary for the operation, below 500 feet above the surface and closer than 500 feet to persons, vessels, vehicles and structures, where the operations are conducted without creating a hazard to persons or property on the surface.(6) A person shall not conduct rotorcraft external-load operations under instrument flight rules (IFR) unless specifically approved by the Authority.(7) Subject to sub-regulation (6), no person shall be carried		· · · · · · · · · · · · · · · · · · ·
which no hazardous oscillation or hazardous aerodynamic turbulence is encountered.4) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations, the holder of a rotorcraft external-load operator certificate may conduct rotorcraft external-load operations over congested areas if those operations are conducted without hazard to persons or property on the surface and comply with the following: (a) the operator shall develop a plan for each complete operation and obtain approval for the operation from the Authority; (b) the plan shall include an agreement with the relevant authority in whose jurisdiction the operation shall be conducted, coordination with air traffic control, if necessary and a detailed chart depicting the flight routes and altitudes; (c) a flight shall be conducted at an altitude and on a route that shall allow a jettisonable external load to be released and the rotorcraft landed, in an emergency without hazard to persons or property on the surface.(5) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations and except as provided in regulation 42(2), a holder of a rotorcraft external-load operator certificate may conduct external load operations, including approaches, departures and load positioning manoeuvres necessary for the operation, below 500 feet above the surface and closer than 500 feet to persons, vessels, vehicles and structures, where the operations are conducted without creating a hazard to persons or property on the surface.(6) A person shall not conduct rotorcraft external-load operations under instrument flight rules (IFR) unless specifically approved by the Authority.(7) Subject to sub-regulation (6), no person shall be carried as part of the external- load under (IFR) operations. Carriage of persons40. (1) A hol		-
encountered.4) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations, the holder of a rotorcraft external-load operator certificate may conduct rotorcraft external-load operations over congested areas if those operations are conducted without hazard to persons or property on the surface and comply with the following: (a) the operator shall develop a plan for each complete operation and obtain approval for the operation from the Authority; (b) the plan shall include an agreement with the relevant authority in whose jurisdiction the operation shall be conducted, coordination with air traffic control, if necessary and a detailed chart depicting the flight routes and altitudes; (c) a flight shall be conducted at an altitude and on a route that shall allow a jettisonable external load to be released and the rotorcraft landed, in an emergency without hazard to persons or property on the surface.(5) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations and except as provided in regulation 42(2), a holder of a rotorcraft external-load operator certificate may conduct external load operations, including approaches, departures and load positioning manoeuvres necessary for the operation, below 500 feet above the surface.(6) A person shall not conduct rotorcraft externalload operations under instrument flight rules (IFR) unless specifically approved by the Authority.(7) Subject to sub-regulation (6), no person shall be carried as part of the external- load under (IFR) operations. Carriage of persons40. (1) A holder of a rotorcraft external-load certificate shall neither carry nor allow a person to be carried during rotorcraft external load operations.		
4) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations, the holder of a rotorcraft external-load operator certificate may conduct rotorcraft external-load operators over congested areas if those operations are conducted without hazard to persons or property on the surface and comply with the following: (a) the operator shall develop a plan for each complete operation and obtain approval for the operation from the Authority; (b) the plan shall include an agreement with the relevant authority in whose jurisdiction the operation shall be conducted, coordination with air traffic control, if necessary and a detailed chart depicting the flight routes and altitudes; (c) a flight shall be conducted at an altitude and on a route that shall allow a jettisonable external load to be released and the rotorcraft landed, in an emergency without hazard to persons or property on the surface.(5) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations and except as provided in regulation 42(2), a holder of a rotorcraft external-load operator certificate may conduct external load operations, including approaches, departures and load positioning manoeuvres necessary for the operation, below 500 feet above the surface and closer than 500 feet to persons, vessels, vehicles and structures, where the operations are conducted without creating a hazard to persons or property on the surface.(6) A person shall not conduct rotorcraft external load operations under instrument flight rules (IFR) unless specifically approved by the Authority.(7) Subject to sub-regulation (6), no person shall be carried as part of the external- load under (IFR) operations. Carriage of persons40. (1) A holder of a rotorcraft external-load certificate shall neither carry nor allow a person to be carried du		•
Regulations, the holder of a rotorcraft external-load operator certificate may conduct rotorcraft external-load operations over congested areas if those operations are conducted without hazard to persons or property on the surface and comply with the following: (a) the operator shall develop a plan for each complete operation and obtain approval for the operation from the Authority; (b) the plan shall include an agreement with the relevant authority in whose jurisdiction the operation shall be conducted, coordination with air traffic control, if necessary and a detailed chart depicting the flight routes and altitudes; (c) a flight shall be conducted at an altitude and on a route that shall allow a jettisonable external load to be released and the rotorcraft landed, in an emergency without hazard to persons or property on the surface.(5) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations and except as provided in regulation 42(2), a holder of a rotorcraft external-load operator certificate may conduct external load operations, including approaches, departures and load positioning maneouvres necessary for the operation, below 500 feet above the surface and closer than 500 feet to persons, vessels, vehicles and structures, where the operations are conducted without creating a hazard to persons or property on the surface.(6) A person shall not conduct rotorcraft external-load operations under instrument flight rules (IFR) unless specifically approved by the Authority. (7) Subject to sub-regulation (6), no person shall be carried as part of the external- load under (IFR) operations. Carriage of persons40. (1) A holder of a rotorcraft external-load certificate shall neither carry nor allow a person to be carried during rotorcraft external load operations		
operations are conducted without hazard to persons or property on the surface and comply with the following:(a) the operator shall develop a plan for each complete operation and obtain approval for the operation from the Authority;(b) the plan shall include an agreement with the relevant authority in whose jurisdiction the operation shall be conducted, coordination with air traffic control, if necessary and a detailed chart depicting the flight routes and altitudes;(c) a flight shall be conducted at an altitude and on a route that shall allow a jettisonable external load to be released and the rotorcraft landed, in an emergency without hazard to persons or property on the surface.(5) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations and except as provided in regulation 42(2), a holder of a rotorcraft external-load operator certificate may conduct external load operations, including approaches, departures and load positioning manoeuvres necessary for the operation, below 500 feet above the surface and closer than 500 feet to persons, vessels, vehicles and structures, where the operations are conducted without creating a hazard to persons or property on the surface.(6) A person shall not conduct rotorcraft externalload operations under instrument flight rules (IFR) unless specifically approved by the Authority.(7) Subject to sub-regulation (6), no person shall be carried as part of the external- load under (IFR) operations. 40. (1) A holder of a rotorcraft external-load certificate shall neither carry nor allow a person to be carried during rotorcraft external load operations		· · ·
comply with the following:(a) the operator shall develop a plan for each complete operation and obtain approval for the operation from the Authority;(b) the plan shall include an agreement with the relevant authority in whose jurisdiction the operation shall be conducted, coordination with air traffic control, if necessary and a detailed chart depicting the flight routes and altitudes;(c) a flight shall be conducted at an altitude and on a route that shall allow a jettisonable external load to be released and the rotorcraft landed, in an emergency without hazard to persons or property on the surface.(5) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations and except as provided in regulation 42(2), a holder of a rotorcraft external-load operator certificate may conduct external load operations, including approaches, departures and load positioning manoeuvres necessary for the operation, below 500 feet above the surface and closer than 500 feet to persons, vessels, vehicles and structures, where the operations are conducted without creating a hazard to persons or property on the surface.(6) A person shall not conduct rotorcraft externalload operations under instrument flight rules (IFR) unless specifically approved by the Authority.(7) Subject to sub-regulation (6), no person shall be carried as part of the external- load under (IFR) operations. Carriage of persons40. (1) A holder of a rotorcraft external-load certificate shall neither carry nor allow a person to be carried during rotorcraft external load operations		· · · · ·
(a) the operator shall develop a plan for each complete operation and obtain approval for the operation from the Authority; (b) the plan shall include an agreement with the relevant authority in whose jurisdiction the operation shall be conducted, coordination with air traffic control, if necessary and a detailed chart depicting the flight routes and altitudes; (c) a flight shall be conducted at an altitude and on a route that shall allow a jettisonable external load to be released and the rotorcraft landed, in an emergency without hazard to persons or property on the surface.(5) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations and except as provided in regulation 42(2), a holder of a rotorcraft external-load operator certificate may conduct external load operations, including approaches, departures and load positioning manoeuvres necessary for the operation, below 500 feet above the surface and closer than 500 feet to persons, vessels, vehicles and structures, where the operations are conducted without creating a hazard to persons or property on the surface.(6) A person shall not conduct rotorcraft externalload operations under instrument flight rules (IFR) unless specifically approved by the Authority.(7) Subject to sub-regulation (6), no person shall be carried as part of the external- load under (IFR) operations. 40. (1) A holder of a rotorcraft external-load certificate shall neither carry nor allow a person to be carried during rotorcraft external load operations		
obtain approval for the operation from the Authority; (b) the plan shall include an agreement with the relevant authority in whose jurisdiction the operation shall be conducted, coordination with air traffic control, if necessary and a detailed chart depicting the flight routes and altitudes; (c) a flight shall be conducted at an altitude and on a route that shall allow a jettisonable external load to be released and the rotorcraft landed, in an emergency without hazard to persons or property on the surface.(5) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations and except as provided in regulation 42(2), a holder of a rotorcraft external-load operator certificate may conduct external load operations, including approaches, departures and load positioning manoeuvres necessary for the operation, below 500 feet above the surface and closer than 500 feet to persons, vessels, vehicles and structures, where the operations under instrument flight rules (IFR) unless specifically approved by the Authority.(7) Subject to sub-regulation (6), no person shall be carried as part of the external- load under (IFR) operations. 40. (1) A holder of a rotorcraft external-load certificate shall neither carry nor allow a person to be carried during rotorcraft external load operations		
 (b) the plan shall include an agreement with the relevant authority in whose jurisdiction the operation shall be conducted, coordination with air traffic control, if necessary and a detailed chart depicting the flight routes and altitudes; (c) a flight shall be conducted at an altitude and on a route that shall allow a jettisonable external load to be released and the rotorcraft landed, in an emergency without hazard to persons or property on the surface. (5) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations and except as provided in regulation 42(2), a holder of a rotorcraft external-load operator certificate may conduct external load operations, including approaches, departures and load positioning manoeuvres necessary for the operation, below 500 feet above the surface and closer than 500 feet to persons, vessels, vehicles and structures, where the operations are conducted without creating a hazard to persons or property on the surface. (6) A person shall not conduct rotorcraft externalload operations under instrument flight rules (IFR) unless specifically approved by the Authority. (7) Subject to sub-regulation (6), no person shall be carried as part of the externalload under (IFR) operations. 		
jurisdiction the operation shall be conducted, coordination with air traffic control, if necessary and a detailed chart depicting the flight routes and altitudes; (c) a flight shall be conducted at an altitude and on a route that shall allow a jettisonable external load to be released and the rotorcraft landed, in an emergency without hazard to persons or property on the surface.(5) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations and except as provided in regulation 42(2), a holder of a rotorcraft external-load operator certificate may conduct external load operations, including approaches, departures and load positioning manoeuvres necessary for the operation, below 500 feet above the surface and closer than 500 feet to persons, vessels, vehicles and structures, where the operations are conducted without creating a hazard to persons or property on the surface.(6) A person shall not conduct rotorcraft externalload operations under instrument flight rules (IFR) unless specifically approved by the Authority.(7) Subject to sub-regulation (6), no person shall be carried as part of the external- load under (IFR) operations. 40. (1) A holder of a rotorcraft external-load certificate shall neither carry nor allow a person to be carried during rotorcraft external load operations		
and altitudes; (c) a flight shall be conducted at an altitude and on a route that shall allow a jettisonable external load to be released and the rotorcraft landed, in an emergency without hazard to persons or property on the surface.(5) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations and except as provided in regulation 42(2), a holder of a rotorcraft external-load operator certificate may conduct external load operations, including approaches, departures and load positioning manoeuvres necessary for the operation, below 500 feet above the surface and closer than 500 feet to persons, vessels, vehicles and structures, where the operations are conducted without creating a hazard to persons or property on the surface.(6) A person shall not conduct rotorcraft externalload operations under instrument flight rules (IFR) unless specifically approved by the Authority.(7) Subject to sub-regulation (6), no person shall be carried as part of the external- load under (IFR) operations. Carriage of persons40. (1) A holder of a rotorcraft external-load certificate shall neither carry nor allow a person to be carried during rotorcraft external load operations		
(c) a flight shall be conducted at an altitude and on a route that shall allow a jettisonable external load to be released and the rotorcraft landed, in an emergency without hazard to persons or property on the surface.(5) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations and except as provided in regulation 42(2), a holder of a rotorcraft external-load operator certificate may conduct external load operations, including approaches, departures and load positioning manoeuvres necessary for the operation, below 500 feet above the surface and closer than 500 feet to persons, vessels, vehicles and structures, where the operations are conducted without creating a hazard to persons or property on the surface.(6) A person shall not conduct rotorcraft externalload operations under instrument flight rules (IFR) unless specifically approved by the Authority.(7) Subject to sub-regulation (6), no person shall be carried as part of the external- load under (IFR) operations.Carriage of persons40. (1) A holder of a rotorcraft external-load certificate shall neither carry nor allow a person to be carried during rotorcraft external load operations		
rotorcraft landed, in an emergency without hazard to persons or property on the surface.(5) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations and except as provided in regulation 42(2), a holder of a rotorcraft external-load operator certificate may conduct external load operations, including approaches, departures and load positioning manoeuvres necessary for the operation, below 500 feet above the surface and closer than 500 feet to persons, vessels, vehicles and structures, where the operations are conducted without creating a hazard to persons or property on the surface.(6) A person shall not conduct rotorcraft externalload operations under instrument flight rules (IFR) unless specifically approved by the Authority.(7) Subject to sub-regulation (6), no person shall be carried as part of the external- load under (IFR) operations. 40. (1) A holder of a rotorcraft external-load certificate shall neither carry nor allow a person to be carried during rotorcraft external load operations		
property on the surface.(5) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations and except as provided in regulation 42(2), a holder of a rotorcraft external-load operator certificate may conduct external load operations, including approaches, departures and load positioning manoeuvres necessary for the operation, below 500 feet above the surface and closer than 500 feet to persons, vessels, vehicles and structures, where the operations are conducted without creating a hazard to persons or property on the surface.(6) A person shall not conduct rotorcraft externalload operations under instrument flight rules (IFR) unless specifically approved by the Authority.(7) Subject to sub-regulation (6), no person shall be carried as part of the external- load under (IFR) operations. Carriage of persons40. (1) A holder of a rotorcraft external-load certificate shall neither carry nor allow a person to be carried during rotorcraft external load operations		route that shall allow a jettisonable external load to be released and the
(5) Notwithstanding the provisions of the Civil Aviation (Operation of Aircraft) Regulations and except as provided in regulation 42(2), a holder of a rotorcraft external-load operator certificate may conduct external load operations, including approaches, departures and load positioning manoeuvres necessary for the operation, below 500 feet above the surface and closer than 500 feet to persons, vessels, vehicles and structures, where the operations are conducted without creating a hazard to persons or property on the surface.(6) A person shall not conduct rotorcraft externalload operations under instrument flight rules (IFR) unless specifically approved by the Authority.(7) Subject to sub-regulation (6), no person shall be carried as part of the external- load under (IFR) operations.Carriage of persons40. (1) A holder of a rotorcraft external-load certificate shall neither carry nor allow a person to be carried during rotorcraft external load operations		
Regulations and except as provided in regulation 42(2), a holder of a rotorcraft external-load operator certificate may conduct external load operations, including approaches, departures and load positioning manoeuvres necessary for the operation, below 500 feet above the surface and closer than 500 feet to persons, vessels, vehicles and structures, where the operations are conducted without creating a hazard to persons or property on the surface.(6) A person shall not conduct rotorcraft externalload operations under instrument flight rules (IFR) unless specifically approved by the Authority.(7) Subject to sub-regulation (6), no person shall be carried as part of the external- load under (IFR) operations.Carriage of persons40. (1) A holder of a rotorcraft external-load certificate shall neither carry nor allow a person to be carried during rotorcraft external load operations		
external-load operator certificate may conduct external load operations, including approaches, departures and load positioning manoeuvres necessary for the operation, below 500 feet above the surface and closer than 500 feet to persons, vessels, vehicles and structures, where the operations are conducted without creating a hazard to persons or property on the surface.(6) A person shall not conduct rotorcraft externalload operations under instrument flight rules (IFR) unless specifically approved by the Authority.(7) Subject to sub-regulation (6), no person shall be carried as part of the external- load under (IFR) operations.Carriage of persons40. (1) A holder of a rotorcraft external-load certificate shall neither carry nor allow a person to be carried during rotorcraft external load operations		
approaches, departures and load positioning manoeuvres necessary for the operation, below 500 feet above the surface and closer than 500 feet to persons, vessels, vehicles and structures, where the operations are conducted without creating a hazard to persons or property on the surface.(6) A person shall not conduct rotorcraft externalload operations under instrument flight rules (IFR) unless specifically approved by the Authority.(7) Subject to sub-regulation (6), no person shall be carried as part of the external- load under (IFR) operations.Carriage of persons40. (1) A holder of a rotorcraft external-load certificate shall neither carry nor allow a person to be carried during rotorcraft external load operations		
operation, below 500 feet above the surface and closer than 500 feet to persons, vessels, vehicles and structures, where the operations are conducted without creating a hazard to persons or property on the surface.(6) A person shall not conduct rotorcraft externalload operations under instrument flight rules (IFR) unless specifically approved by the Authority.(7) Subject to sub-regulation (6), no person shall be carried as part of the external- load under (IFR) operations.Carriage of persons40. (1) A holder of a rotorcraft external-load certificate shall neither carry nor allow a person to be carried during rotorcraft external load operations		
creating a hazard to persons or property on the surface.(6) A person shall not conduct rotorcraft externalload operations under instrument flight rules (IFR) unless specifically approved by the Authority.(7) Subject to sub-regulation (6), no person shall be carried as part of the external- load under (IFR) operations.Carriage of persons40. (1) A holder of a rotorcraft external-load certificate shall neither carry nor allow a person to be carried during rotorcraft external load operations		
(6) A person shall not conduct rotorcraft externalload operations under instrument flight rules (IFR) unless specifically approved by the Authority.(7) Subject to sub-regulation (6), no person shall be carried as part of the external- load under (IFR) operations.Carriage of persons40. (1) A holder of a rotorcraft external-load certificate shall neither carry nor allow a person to be carried during rotorcraft external load operations		vessels, vehicles and structures, where the operations are conducted without
instrument flight rules (IFR) unless specifically approved by the Authority.(7) Subject to sub-regulation (6), no person shall be carried as part of the external- load under (IFR) operations.Carriage of persons40. (1) A holder of a rotorcraft external-load certificate shall neither carry nor allow a person to be carried during rotorcraft external load operations		
(7) Subject to sub-regulation (6), no person shall be carried as part of the external- load under (IFR) operations.Carriage of persons40. (1) A holder of a rotorcraft external-load certificate shall neither carry nor allow a person to be carried during rotorcraft external load operations		
load under (IFR) operations. Carriage of persons 40. (1) A holder of a rotorcraft external-load certificate shall neither carry nor allow a person to be carried during rotorcraft external load operations		
Carriage of persons40. (1) A holder of a rotorcraft external-load certificate shall neither carry nor allow a person to be carried during rotorcraft external load operations		
allow a person to be carried during rotorcraft external load operations	Carriage of persons	
unless that person :	J 1	· · · · · · · · · · · · · · · · · · ·
		unless that person :

	(a) is a flight group manufacture			
	(a) is a flight crew member;			
	(b) is a flight crew member trainee;			
	(c) performs an essential function in connection with the external load operation;			
	or			
	(d) is necessary to accomplish the work activity directly associated with that			
	operation.			
	(2) The pilot in command shall ensure that all persons are briefed before take-off			
	on all procedures to be followed, including normal, abnormal and emergency			
	procedures, and equipment to be used during the external load operation.			
	(3) For the purpose of this Part, a person other than a crew member or a person			
	who is essential and directly connected with the external-load operation shall be			
	carried only in approved class D rotorcraft-load combinations.			
Crew member	41. (1) A holder of a rotorcraft external-load certificate shall not use nor shall			
training,	any person serve, as a pilot in helicopter external-load operations unless			
Currency and testing	that person:			
requirements	(a) has successfully demonstrated to the Authority the knowledge and skill with			
requirements	respect to the rotorcraft-load combination in accordance with Regulation 33; and			
	(b) has in their personal possession, a certificate of competency issued by the			
	operator or an appropriate logbook entry indicating compliance with paragraph			
	(a).			
	(2) A rotorcraft external-load operator certificate holder shall not use, nor shall			
	any person serve as, a crew member or other operations personnel in class D			
	operations unless, within the preceding twelve months, that person has			
	successfully completed either an approved initial or a recurrent training			
	programme.			
	(3) Notwithstanding sub-regulation (2), a person who has performed a rotorcraft			
	external-load operation of the same class and in an aircraft of the same type			
	within the past 12 calendar months need not undergo recurrent training.			
Access for inspection	42. A person conducting an operation in accordance with the provisions of			
	this Part shall give the Authority's aviation safety inspectors free and			
	uninterrupted access to that person's aircraft and allied facilities with			
	regard to the external load operations in order to conduct any inspections			
	or tests that the Authority considers necessary to determine compliance			
	with these Regulations and the rotorcraft external-load operator			
	certificate.			
	Part 3.2 Airworthiness Requirements			
Flight characteristics	43. (1) An applicant for a certificate under this Part shall demonstrate to the			
requirements	Authority, by performing the following operational flight checks, that the			
-	rotorcraft-load combination has satisfactory flight characteristics, unless			
	these operational flightchecks have been demonstrated previously and the			
	rotorcraft-loadcombination flight characteristics were satisfactory.			
	(2) for Class A rotorcraft-load combinations, the operational flight check shall			
	consist of at least the following manoeuvres:			
	(i) take off and landing;			
	(ii) demonstration of adequate directional control while hovering;			
	(i) demonstration of adequate directional control while novering,			

	(iii) acceleration from a hover; and(iv) horizontal flight at airspeeds up to the maximum airspeed for which authorisation is requested;		
	 (3) for class B and D rotorcraft-load combinations, the operational flight check shall consist of at least the following manoeuvres: (i) pickup of the external load; (ii) demonstration of adequate directional control while hovering; 		
	(iii) acceleration from a hover;(iv) horizontal flight at airspeeds up to the maximum airspeed for which authorisation is requested;		
	 (v) demonstrating appropriate lifting device operation; and (vi) manoeuvring of the external load into release position and its release, under probable flight operation conditions, by means of each of the quick-release controls installed on the rotorcraft. 		
	(4) for Class C rotorcraft-load combinations used in wire-stringing, cable-laying, or similar operations, the operational flight check shall consist of the manoeuvres, as applicable, prescribed in paragraph (3);		
	(5) For the purposes of this demonstration, the external load weight, including the external-load attaching means, is the maximum weight for which authorisation is requested.		
Structures and design	44. (1) An external-load attaching means and a quick release device means of a rotorcraft shall be approved by the Authority.		
	(2) The total mass of the rotorcraft-load combination shall not exceed the total mass approved for the rotorcraft during its type certification.(3) The location of the centre of gravity must, for all loading conditions, be within		
	the range established for the rotorcraft during its type certification.(4) For Class C rotorcraft-load combinations, the magnitude and direction of the		
	loading force shall be established at those values for which the effective location of the centre of gravity remains within its established range.		

Opporting limitations	45 In addition to the operating limitations got and in the approach action for			
Operating limitations	45. In addition to the operating limitations set out in the approved rotorcraft load combination operating manual and to any other limitations that the			
	Authority may prescribe, the operator shall establish at least the following			
	limitations and specify them in the rotorcraft-load combination opera manual in which case the limitations for rotorcraft-load combination			
	operations shall: (a) be operated only within the weight and centre of gravity			
	(a) be operated only within the weight and centre of gravity limitations established in accordance with this Part;			
	(b) not be operated with an external load weight exceeding that use in showing compliance with this Part; and			
	 (c) not be operated at airspeeds greater than those established in accordance with these Regulations. 			
	(d) A person shall not conduct an external-load operation under these			
	Regulations with a rotorcraft type certified in the restricted			
	category over a densely populated area, in a congested airway or			
	near a busy airport where commercial air transport operations are			
	conducted.			
	(e) The rotorcraft-load combination of class D may be conducted			
	only in accordance with the following conditions:			
	(i) the rotorcraft to be used shall have been type certificated			
	under transport category and provide hover capability			
	with one engine inoperative at that operating weight and			
	altitude;			
	(ii) the rotorcraft shall be equipped to allow direct radio			
	intercommunication among requiredmcrew members;			
	(iii) the personnel lifting device shall be approved by the Authority; and			
	the lifting device shall have an emergency release requiring			
	two distinct actions.			
Rotorcraft load	46. (1) An applicant for a rotorcraft external-load operator certificate shall			
combination	prepare a rotorcraft-load combination operating manual and submit it to			
operating	the Authority for approval.			
manual	(2) The manual referred to in sub-regulation (1) shall specify;			
	(a) operating limitations, normal and emergency procedures, performance, and			
	other information established under this Part;			
	(b) the class of rotorcraft-load combinations for which the airworthiness of the			
	rotorcraft has been demonstrated in accordance with this Part; and			
	(c) in the information section of the rotorcraft-load combination operating			
	manual-			
	(i) information on any peculiarities discovered when operating particular			
	rotorcraft-load combinations;			
	(ii) precautionary advice regarding static electricity discharges for class B, class C			
	and class D rotorcraft-load combinations; and			
	(iii) any other information essential for safe operation with external loads.			
	(3) The limiting height speed envelope data need not be listed in the rotorcraft- load combination flight manual.			
Markings and	47. (1) The markings and placards shall be displayed conspicuously on a			
placards	rotorcraft and shall be such that they cannot be easily erased, disfigured or			
	obscured.			

	(2) The placard displayed in the cockpit or cabin shall state the class of rotorcraft- load combination and the occupancy limitation for which the rotorcraft has been
approved. (3) The placard, marking or instruction displayed next to the external-load attaching means shall state the maximum external load approved.	
GLIDER TO	PART 4 OWING, PICKING UP AND RAISING OF PERSONS AND ARTICLES
Towing of gliders	48. (1) This part applies to those operations involving towing gliders by aircraft where:
	(<i>a</i>) the Authority shall require each person conducting operations in accordance with this part to hold a certificate of waiver or equivalent authorisation; and
	(b) the Authority shall issue a certificate of waiver or equivalent authorisation to an applicant that meets the requirements of this part for that certificate or authorisation
	(2) A person operating an aircraft in flight shall not tow a glider unless the certificate of airworthiness is valid and includes an express provision that the aircraft shall be used for towing a glider of that particular type.
	(3) A person operating an aircraft shall not tow a glider unless the pilot in command (PIC) of the towing aircraft is qualified under this Part.
	(4) A person shall not operate an aircraft that is towing a glider unless the aircraft is equipped with a tow hook and release control system that meets the applicable standards of airworthiness.
	(5) The length of the combination of towing aircraft, towrope and glider in flight shall not exceed 150 metres.
	(6) The pilot in command (PIC) of an aircraft which is about to tow a glider shall satisfy himself or herself, before the towing aircraft takes off that:(a) the towline is in good condition and meets the requirements specified in this regulation;
	 (b) the combination of the towing aircraft and glider is capable of safely taking off, reaching and maintaining a safe height thereafter and making a safe landing at the place of intended destination; (c) signals have been agreed and communication established with persons suitably
	stationed so as to enable the glider to take off safely; and(d) emergency signals have been agreed between the PIC of the towing aircraft and the PIC of the glider to be used, respectively, by the PIC of the towing aircraft
	to indicate that the tow should immediately be released by the glider and by the PIC of the glider to indicate that the tow cannot be released.
	(7) The glider shall be attached to the towing aircraft by means of the tow rope before the aircraft takes off.
	(8) A person operating an aircraft in flight shall not tow a glider except in accordance with such conditions and requirements as the Authority may have notified.

Glider towing: Experience and training requirements	 (8) The PIC shall satisfy himself or herself that: (a) the towing aircraft is equipped with a tow hitch of a kind and installed in a manner that is approved by the Authority; (b) the towing user also breaking strength not less than 80 percent of the maximum certificated operating weight of the glider and not more than twice this operating weight, the towline used shall have a breaking strength more than twice the maximum certificated operating weight of the glider where: (i) a safety link is installed at the point of attachment of the towline to the glider with a breaking strength not less than 80 percent of the maximum certificated operating weight of the glider and not greater than twice this operating weight of the glider and not greater than twice this operating weight of the glider and to the towline to the towline gaircraft with a breaking strength greater, but not more than 25 percent greater than this of the safety link is installed at the point of attachment of the towline und not greater than twice the maximum certificated operating weight of the glider; (c) before conducting any towing operation within the lateral boundaries of the surface areas of Class B, C, D or E airspace designated for an airport or before making each towing dirert and the glider have agreed upon a general course of action, including takeoff and release signals, airspeeds and emergency procedures for each pilot. (9) A pilot of an aircraft shall not intentionally release a towline, after release of a glider, in a manner that endangers the life or property of other persons. 49. (1) A person shall not act as pilot in command (PIC) for towing a glider unless that person: (a) holds at least a private pilot licence (PPL) with a category rating for powered aircraft and has logged at least 100 hours of PIC time in the same aircraft category, class and type the pilot is using to tow a glider; (b) has a logbook endorsement from an authorized instructor who ce
	certifying that the person has accomplished at least three

	accordance with this Part. 51. No pilot shall:
	 (6) Nothing in this regulation shall: (a) prohibit the towing in a reasonable manner by an aircraft in flight of any radio aerial or any instrument which is being used for experimental purposes; (b) prohibit the picking up or raising of any person, animal or article in an emergency or for the purpose of saving life; (c) apply to any aircraft while it is flying in accordance with the provisions of the special flight permit issued under the Civil Aviation (Airworthiness) Regulations; (d) be taken to permit the towing or picking up of a glider otherwise than in
	 (4) The length of the combination of towing aircraft, towline and article in a tow shall not exceed 150 metres. (5) A person flying a helicopter shall not fly at any height over a congested area of a city, town or settlement at any time when an article, person or animal is suspended from the helicopter.
	 (2) A person shall not use an aircraft to launch or pick up towlines, banners of similar articles other than at an aerodrome. (3) A person shall not operate an aircraft in flight to tow any article, other than a glider, at night or when flight visibility is less than one mile.
Towing picking up and raising of persons, animals and articles	50. (1) A person operating an aircraft in flight shall not, by means external to the aircraft, tow any article other than a glider or banner, tow or pick up or raise any person, animal or article, unless the certificate of airworthiness is valid and includes an express provision that it shall be used for that purpose.
	 (b) performed and logged at least three flights within the twelve calendar months preceding the month that pilot accompanies or endorses the logbook of a person seeking glider-towing privileges : (i) in an aircraft while towing a glider accompanied by another pilot who meets the requirements of this section; or (ii) as PIC of a glider being towed by an aircraft.
	 (3) If the pilot referred in sub-regulation (1)(d) holds only a PPL, then that pilot shall have: (a) logged at least 100 hours of PIC time in aeroplanes or 200 hours of PIC time in a combination of powered and other than powered aircraft; and
	(a) met the requirements of this regulation prior to endorsing the logbook of the person seeking glider-towing privileges; and(b) logged at least 10 flights as PIC of an aircraft while towing a glider.
	 (ii) made at least 3 flights as PIC of a glider towed by an aircraft. (2) The pilot, described in sub-regulation (1)(d), who endorses the logbook of a person seeking glider-towing privileges shall have :

Rules			
Kules	(a)	conduct any towing operation in controlled airspace until he or she has received the appropriate clearance from the ATC service.	
	(b)	conduct any towing operation in uncontrolled airspace until he or she has notified the appropriate Authority for such activity to be entered into the NOTAM service of Uganda.	
	(c)	engage in towing operations, either as the pilot of the towing aircraft or as the pilot of the towed glider, until all pilots have agreed upon a general course of action, including take-off and release signals, airspeeds, and emergency procedures for each pilot.	
	(d)	intentionally release a towline, after release of a glider, in a manner that endangers the life or property of another.	
Dropping of articles and animals	 52. (1) A person shall not drop or permit to drop an article or animal, whether or not attached to a parachute, from an aircraft in flight so as to endanger persons or property. (2) Sub-regulation (1) shall not apply to the dropping of an article by or with the authority of the pilot in command of the aircraft in any of the following circumstances, provided that the pilot seeks to avoid endangering persons or property: (a) the dropping for the purpose of saving life; 		
	(b) the jettisoning, in case of emergency, of fuel or other articles in the aircraft;(c) the dropping of ballast in the form of fine sand or water;(d) the dropping of articles solely for the purpose of navigating the aircraft in accordance with ordinary practice or with the provisions of these Regulations;		
	 (e) the dropping at an aerodrome, in accordance with prescribed regulations of towropes, banners or similar article towed by aircraft; (f) the dropping of articles for the purpose of agriculture, horticulture, forestry or public health or as a measure against weather conditions, surface icing or oil pollution or for training for the dropping of articles for any 		
	such purposes, if the articles are dropped with the permission of the Authority and in accordance with any condition subject to which that permission may have been given; and (g) the dropping of wind drift indicators for the purpose of enabling parachute descents to be made if the wind indicators are dropped with the permission of the Authority and in accordance with any conditions subject to which that permission		
	may have been given.(3) For the purposes of this regulation "dropping" include projecting and lowering.		
-	from a helicop includes an ex	this regulation shall prohibit the lowering of any animal or article ter to the surface, if the certificate of airworthiness is valid and press provision that it may be used for that purpose.	
Dropping of persons	or jum accord Autho	person shall not drop, be dropped or permitted to drop to the surface of from an aircraft flying over Uganda except under and in lance with the terms of a written authorisation granted by the rity under the Civil Aviation (Personnel Licensing) Regulations.	
	(2) The terms	of the written authorisation shall specify its duration	

	 (3) Notwithstanding the grant of an authorisation under sub-regulation (1), a person shall not drop, be dropped or be permitted to drop from an aircraft in flight so as to endanger persons or property. (4) A person shall not use an aircraft for the purpose of dropping persons unless the aircraft has a certificate of airworthiness and an authorisation granted for that purpose. (5) Notwithstanding the provisions of dropping persons these regulations shall: (a) apply to the descent of persons by parachute from an aircraft in an emergency; (b) prohibit the lowering of any person in an emergency or for the purpose of saving life; or (c) prohibit the lowering of any person from a helicopter to the surface if the certificate of airworthiness is valid and includes an express provision that it may be used for that purpose.
	Part 4.1 Banner Towing
Authorisation Required	54. This part applies to those operations involving towing aircraft banners or other signs, lit or unlit where:
	(a)the Authority shall require a person conducting operations in accordance with this part to hold a certificate of waiver or equivalent authorisation.
	(b) the Authority shall issue a certificate of waiver or equivalent authorisation to an applicant that meets the requirements of this regulation for that certificate or authorisation.
	(c) helicopter operating under the requirements of part 3 may tow a banner using an external-load attaching means without a certificate of waiver or equivalent authorisation only where the operator has at least a Class B authorisation on the operating certificate.
Aircraft requirements	55. (1) A person shall not operate an aircraft that is towing a banner unless the aircraft is equipped with a tow hook and release control system that meet the applicable standards of airworthiness.
	(2) A person shall not operate a helicopter that is towing a banner unless the helicopter has a means to prevent the banner from becoming entangled in the helicopter's tail rotor during all phases of flight, including auto rotations.
Experience and training requirements	56. (1) For non-revenue flights, the pilot of the tow aircraft shall hold at least a valid private pilots licence and have a minimum of 200 hours of pilot in command time.
	 (2) When banner tow operations are conducted for compensation or hire, the pilot shall have at least a valid commercial pilots licence. (3) A pilot engaged in banner towing operations shall demonstrate competence to the Authority by performing at least one pickup and drop of the maximum number of letters (panels) to be used by the certificate holder. (4) The demonstration referred to in sub-regulation (3) shall be observed from the ground to allow the inspector to evaluate the competence of any essential ground personnel as well as the flight operation.

Operating rules	57. (1) A banner tow operation shall be conducted only:
o Perming runs	(a) in visual flight rules weather conditions; and
	(b) between the hours of official sunrise and sunset.
	(2) A person shall not conduct banner towing operations:
	(a) over congested areas or open air assemblies of persons at whichever of the
	following heights is higher:
	(i) at a height below 1,000 feet above the highest fixed object within 600 metres
	of the aircraft;
	(ii) below such a height as would enable the aircraft to alight clear of the area and without danger to persons or property on the surface, in the event of failure of a
	power unit;
	(b) elsewhere not below such height as would enable the aircraft to alight clear of the assembly in the event of the failure of a power unit.
	(3) Helicopters may be operated at less than the minimums specified in sub-
	regulation (2) where the operation is conducted without hazard to persons or
	property on the surface.
	(4) A holder of an authorisation carrying out banner tow operation shall be
	required to obtain a written approval of the airport management to conduct such
	operations.
	(5) where banner towing operations take place at an airport with air traffic control
	(ATC), the authorisation holder shall inform the ATC of the time of the
	operations and obtain clearance.
	(6) The holder of an authorisation shall notify the appropriate airport officials in
	advance when banner tow operations shall be in close proximity to an unmanned
	airport.
	(7) Only essential crew members shall be carried when conducting banner tow operations.
	(8) When banner tow operations are conducted around congested areas, the pilot
	shall exercise due care so that, in the event of emergency release of the banner or
	towrope, it shall not cause undue hazard to persons or property on the surface.
	(9) A pilot conducting banner operation shall drop the towrope in a pre-designated
	area at least 500 feet from persons, buildings, parked automobiles, and aircraft.
	(10) when a tow aeroplane lands with the rope attached, due care shall be
	exercised to avoid trailing the rope and endangering other aircraft in the air, or
	persons, property or aircraft on the surface.
	(11) A pilot conducting banner-towing operations shall carry on board the aircraft
	a current copy of the authorisation, allowing banner towing operations.
	(12) A pilot conducting banner towing operations shall ensure coordination of
	banner times with other aviation operations at all times;
	(13) The coordination shall include:
	(a) communications:
	(i) air to air;
	(ii) air to ground; and
	(iii) coordination with ATC.
	(b) traffic flow; identification and depiction of traffic patterns for the pilots
	concerned; and
	(c) airworthiness inspections.
	(14) An aircraft conducting banner towing operations
	shall prior to the event undergo an airworthiness safety inspection.

	PART 5 TELEVISION, MOVIE OPERATIONS, AERIAL PHOTOGRAPHY AND AERIAL SURVEY
Authorisation required	 58. (1) A person shall not conduct operations involving movie filming, appearance in flight in movies, airborne direction or production of such filming, aerial photography or aerial survey when those operations are conducted as part of a business enterprise or for compensation or hire unless that person satisfies the requirements of these Regulations.
	 (2) A person who wishes to carry out operations referred to under sub-regulation (1) shall be required to apply to the Authority for authorisation at least 30 days before the date of the intended operation. (3) For purposes of this regulation, "movie" includes film, videos, and live
	broadcast in any format, and the preparation and rehearsal for those operations.
Aircraft requirements	59. A person shall not use an aircraft in motion picture, television filming, aerial photography or aerial survey operations, unless there is in respect of the aircraft a certificate of airworthiness or a restricted certificate of airworthiness issued for the purpose of exhibition.
Experience and	60. (1) A pilot shall not conduct television movie, aerial photography or aerial
training	survey operations unless the pilot has:
requirements	(a) a commercial pilot licence with type ratings for the aircraft to be used;
	(b) at least 500 hours as pilot-in-command;
	(c) a minimum of 100 hours in the category and class of the aircraft to be used;
	and
	(d) a minimum of 5 hours in the make and model of the aircraft to be used.
	(2) If a pilot for television, movie, aerial photography or aerial survey operations
	intends to perform acrobatic flights below 1,500 feet above ground level, the pilot
	shall furnish the Authority with proof of competence to perform the acrobatic manoeuvres in the aircraft to
	be used
Special authorisation	
requirements	61. (1) An operator shall obtain a certificate of waiver or equivalent authorisation
	from the Authority where filming sequences require an aircraft to be flown:
	(a) In acrobatic flight below 1 500 ft AGL;
	(b) Over a congested area;
	(c) In controlled airspace.
	(2) The holder of the special authorisation issued under this regulation shall
	provide a schedule of events that lists the:
	(a) identification of the aircraft; and
	(b) performers in the sequence of their appearance.
	(3) Any manoeuvres added or time changes to the schedule of events shall be
	approved by the Authority.
	() The special authorisation holder shall develop and adhere to a motion picture, television, aerial photography or aerial survey flight operations Manual which
	shall be approved by the Authority.
Contents of a flight	62. A motion picture, television or aerial photography and survey flight operations
Operations manual	manual shall contain at least the following:
- 1	(a) business name, address and telephone number of applicant;

	(b) list of pilots to be used during the filming, aerial photography and survey including their pilot licence numbers, type of licence and date of medical
	certificate;
	(c) list of aircraft by make and model;
	(d) procedures for revising the manual to ensure that all manuals are kept current and procedures for the distribution of the manual to the concerned personnel;
	(e) procedures to ensure that no persons, except those persons consenting to be
	involved and necessary for the filming or aerial photography and survey are
	allowed within 500 feet of the filming production area;
	(f) the area that will be used during the term of the authorisation;
	(g) procedures for the submission, within 3 days of scheduled filming or aerial
	photography and survey, a written plan of activities to the Authority containing at
	least the following:
	(i) dates and times for all flights;
	(ii) name and phone number of person responsible for the filming or aerial
	photography and survey; (iii) make and model of aircraft to be used and type of airworthiness certificate;
	(iv) name of pilots involved in the filming or aerial photography and survey;
	(v) a statement that permission has been obtained from property owners or local
	officials to conduct the filming or aerial photography and survey;
	(vi) a general outline, or summary, of the production schedule, to include maps or
	diagrams of the specific filming or aerial photography and survey location;
	(h) requirements and procedures that the special authorisation applicant will use to
	obtain permission from property owners or local officials like police and fire
	departments as appropriate for the conduct of all filming or aerial photography
	and survey;
	(i) method of security that will be used to exclude all persons not directly
	involved with the operation from the location;
	(j) procedures to brief personnel of the risks involved, emergency procedures, and
	safeguards to be followed during the filming or aerial photography and survey;
	(k) procedures to ensure that required inspections will be conducted;(l) procedures to provide communications capability with all participants during
	the actual operation and filming or aerial photography and survey; and
	(m) procedures for notification and reporting of incidents and accidents.
Operating rules	63. (1) An operator shall not conduct motion picture, television flight or aerial
operating rates	photography operations so as to endanger persons or property on the surface or
	aircraft in flight.
	(2) Minimum cloud clearance requirements and minimum altitude requirements of
	the Civil Aviation (Rules of the Air) and (Air Traffic Control) Regulations do not
	apply to operations where different requirements and minimums are specifically
	authorised by the Authority under these Regulations.
Exhibition flights	64. (1) A person shall not conduct an exhibition of flying unless that person has
	obtained authorisation from the Authority.
	(2) A pilot shall not participate in an exhibition of flying unless that pilot:
	(<i>a</i>) holds a valid private pilot licence, commercial pilot licence or airline transport pilot licence;
	(b) is rated on the type of aircraft to be used; and
	(c) complies with any relevant conditions specified in the authorisation.
	(3) A person shall not use an aircraft in exhibition of flying, unless that aircraft
	has a valid certificate of airworthiness.
	1

(4) A person shall not be issued with the authorisation referred to in sub regulation (1) unless that person proves to the Authority the ability to safely conduct the exhibition of flying. (5) The authorisation referred to in sub regulation (1) may be issued subject to such conditions, as the Authority thinks fit and shall, remain in force for the period specified in the authorisation. (6) A person authorised under this regulation shall not conduct exhibition of flying so as to endanger persons or property on the surface or aircraft in flight. PART 6 TRAFFIC AND SPORTS REPORTING, FISH SPOTTING, GAME VIEWING AND SIGHTSEEING Sightseeing 65. This part applies to those operations involving the carriage of persons for viewing natural formations, manmade objects, or wildlife on the ground wh (a) those operations are conducted as part of a business enterprise or compensation or hire;	
conduct the exhibition of flying. (5) The authorisation referred to in sub regulation (1) may be issued subject to such conditions, as the Authority thinks fit and shall, remain in force for the period specified in the authorisation. (6) A person authorised under this regulation shall not conduct exhibition of flying so as to endanger persons or property on the surface or aircraft in flight. PART 6 TRAFFIC AND SPORTS REPORTING, FISH SPOTTING, GAME VIEWING AND SIGHTSEEING Sightseeing 65. This part applies to those operations involving the carriage of persons for viewing natural formations, manmade objects, or wildlife on the ground wh (a) those operations are conducted as part of a business enterprise or	
 (5) The authorisation referred to in sub regulation (1) may be issued subject to such conditions, as the Authority thinks fit and shall, remain in force for the period specified in the authorisation. (6) A person authorised under this regulation shall not conduct exhibition of flying so as to endanger persons or property on the surface or aircraft in flight. PART 6 TRAFFIC AND SPORTS REPORTING, FISH SPOTTING, GAME VIEWING AND SIGHTSEEING 65. This part applies to those operations involving the carriage of persons for viewing natural formations, manmade objects, or wildlife on the ground wh (a) those operations are conducted as part of a business enterprise or 	
such conditions, as the Authority thinks fit and shall, remain in force for the period specified in the authorisation. (6) A person authorised under this regulation shall not conduct exhibition of flying so as to endanger persons or property on the surface or aircraft in flight. PART 6 PART 6 Sightseeing 65. This part applies to those operations involving the carriage of persons for viewing natural formations, manmade objects, or wildlife on the ground wh (a) those operations are conducted as part of a business enterprise or	
period specified in the authorisation. (6) A person authorised under this regulation shall not conduct exhibition of flying so as to endanger persons or property on the surface or aircraft in flight. PART 6 TRAFFIC AND SPORTS REPORTING, FISH SPOTTING, GAME VIEWING AND SIGHTSEEING Sightseeing 65. This part applies to those operations involving the carriage of persons for viewing natural formations, manmade objects, or wildlife on the ground wh (a) those operations are conducted as part of a business enterprise or	
flying so as to endanger persons or property on the surface or aircraft in flight. PART 6 TRAFFIC AND SPORTS REPORTING, FISH SPOTTING, GAME VIEWING AND SIGHTSEEING Sightseeing 65. This part applies to those operations involving the carriage of persons for viewing natural formations, manmade objects, or wildlife on the ground wh (a) those operations are conducted as part of a business enterprise or the second secon	
PART 6 TRAFFIC AND SPORTS REPORTING, FISH SPOTTING, GAME VIEWING AND SIGHTSEEING Sightseeing 65. This part applies to those operations involving the carriage of persons for viewing natural formations, manmade objects, or wildlife on the ground wh (a) those operations are conducted as part of a business enterprise or the second seco	
Sightseeing 65. This part applies to those operations involving the carriage of persons for viewing natural formations, manmade objects, or wildlife on the ground wh (a) those operations are conducted as part of a business enterprise or the second se	
GAME VIEWING AND SIGHTSEEING Sightseeing 65. This part applies to those operations involving the carriage of persons for viewing natural formations, manmade objects, or wildlife on the ground wh (a) those operations are conducted as part of a business enterprise or the second se	
viewing natural formations, manmade objects, or wildlife on the ground wh(a) those operations are conducted as part of a business enterprise or	
viewing natural formations, manmade objects, or wildlife on the ground wh(a) those operations are conducted as part of a business enterprise or	
	en:
*	or
(b) the flight is unquestionably advertised as "sightseeing";	
(c) the flight returns to the aerodrome of departure without having landed at any other aerodrome;	
(d) the flight is conducted within a 25-statute-mile radius of the departure aerodrome; and	
(e) the certificated passenger capacity of the aircraft does not exceed nine passengers.	
Traffic reporting 66. (1) A person shall not conduct any aircraft operations involving the observation of, and reporting on, vehicular traffic conditions on the highwa and streets unless that person: (a) holds at least a valid commercial pilot licence: 	/S
(a) holds at least a valid commercial phot needee. (b) uses an aircraft with a certificate of airworthiness; and	
(c) holds an authorisation issued by the Authority.	
(c) holds an autorisation issued by the Halionty. (2) A person authorised under this regulation shall not conduct operations s) as
to endanger persons or property on the surface or aircraft in flight.	
Game viewing or 67. (1) A person shall not conduct aircraft operations involving the observation	of,
Tracking operation and reporting on and participating in game viewing or tracking operations	
unless that person:	
(a) holds at least a valid private pilots licence;	
(b) uses aircraft with a certificate of airworthiness or restricted certificate of	
airworthiness;	
(c) holds an authorisation issued by the Authority.	
(2) A person authorised under this regulation shall not conduct operations so a endanger persons, animals or property on the surface or aircraft in flight	
endanger persons, animals or property on the surface or aircraft in flight.Competitive motor68. (1) A person shall not conduct aircraft operations involving the observation	of
Vehicle operations and reporting on and participating in motor vehicle testing and competitive	01,
operations operations and reporting on and participating in motor venicle testing and competitive operations unless that person:	
(a) holds at least a valid private pilots licence;	
(a) holds at least a valid private priors hechec, (b) uses an aircraft with a standard certificate of airworthiness; and	
(c) holds authorisation issued by the Authority.	

	(2) A person authorised under this regulation shall not conduct operations so as to
	endanger persons or property on
	the surface or aircraft in flight.
Fish spotting	69. (1) A person shall not conduct aircraft operations involving location, tracking,
	and reporting on the location of fish and fish schools, as part of a business
	enterprise or for compensation or hire unless that person obtains authorisation
	from the Authority.
	(2) A person authorised under this regulation shall not conduct operations so as to
	endanger persons or property on the surface or aircraft in flight.
	(3) The minimum cloud clearance requirements and minimum altitude
	requirements of the Civil Aviation (Rules of the Air and Air Traffic Control)
	Regulations do not apply to operations specifically authorised by the Authority
	under this Regulation with different minimas.
	PART 7
	GENERAL
	Part 7.1 General Provisions
Application for	70. (1) A person or operator may apply to the Authority for an exemption from any
exemptions	provision of these Regulations.
	(2) A request for exemption shall be made in accordance with the
	requirements of these Regulations and an application for such exemption shall
	be submitted and processed in a manner prescribed by the Authority in the
	applicable technical guidance material.
	(3) A request for an exemption shall contain the applicant's:
	(a) name;
	(b) physical address and mailing address;
	(c) telephone number;
	(d) fax number where available; and
	(e) email address.
	(4) The application shall be accompanied by a fee prescribed by the Authority
	in the applicable aeronautical information circulars for technical evaluation.
Exemption	71. (1) The Authority may, upon consideration of the circumstances of the
Exemption	
	application for exemption, , issue an exemption providing relief from specified
	provisions of these Regulations, provided that: (a) the Authority finds that the circumstances presented warrant the
	exemption; and (b) a level of safety shall be maintained equal to that provided by the
	Regulations from which the exemption is sought.
	Regulations from which the exemption is sought.
	(2) The exemption referred to in sub-regulation (1) may be terminated or
	amended at any time by the Authority.
	(3) A person or operator who receives an exemption shall have a means of
	notifying the management and appropriate personnel performing functions
	subject to the exemption.
	(4) All entries in records required to be maintained by or under these
	Regulations shall be made in a permanent and indelible ink.

	(5) A person shall not purport to issue any approvals, authorisations or
	exemptions under these Regulations unless he or she is authorised by the
	Authority to do so.
	(6) A person shall not issue any approval, authorisation or exemption of the
	kind referred to in sub-regulation (4) unless he or she has satisfied himself or
	herself that all statements in the certificate are correct, and that the applicant is
	qualified to hold that certificate.
Possession of the	72. (1) A holder of a licence, certificate, approval, authorisation, exemption or
licence, certificate,	other document issued by the Authority under these Regulations shall have it
approval,	in his or her physical possession or at the work site when exercising the
authorization or	privileges of that licence, certificate, authorisation or such other document.
exemption	(2) A flight crew of a foreign registered aircraft shall hold a valid licence,
	certificate or authorisation and have it in his or her physical possession or at
	the work site when exercising the privileges of that licence, certificate or
	authorisation.
Drug and alcohol	73. (1) A person who performs any function requiring a licence, rating,
testing and reporting	qualification or authorisation prescribed by these Regulations directly or by
8 1 8	contract under the provisions of these Regulations may be tested for drug or
	alcohol usage.
	(2) Where the Authority or any person authorised by the Authority wishes to
	test a person referred to in sub regulation (1) for the percentage by weight of
	alcohol in the blood or for the presence of narcotic drugs, marijuana or
	depressant or stimulant drugs or substances in the body and that person:
	(a) refuses to submit to the test; or
	(b) having submitted to the test, refuses to authorise
	the release of the test results, the Authority may
	suspend or revoke the or certificate or
	authorisation issued by the Authority.
	(3) In determining whether to suspend or revoke the agricultural air operator
	certificate (AAOC) or rotorcraft external-load operator certificate, the
	Authority shall consider all relevant factors, including—
	(a) whether the AAOC or rotorcraft external-load operator certificate holder
	had knowledge of the drug or alcohol use;
	(b) whether the AAOC or rotorcraft external-load operator certificate holder
	•
	encouraged the person to refuse the drug or alcohol test;
	(c) whether the AAOC or rotorcraft external-load operator certificate holder
	dismissed the person who failed or refused the drug tests; or
	(d) the position that person held with the AAOC holder or rotorcraft external-
	load operator certificate holder.
	(4) The Authority shall require the AAOC or rotorcraft external-load operator
	certificate holder to show cause why that person should not be dismissed from the
	employment of the AAOC or rotorcraft external-load operator certificate holder.
	(5) A person who is convicted, whether in or outside Uganda, for any
	offence relating to the growing, processing, manufacture, sale, disposition,
	possession, transportation or importation of narcotic drugs, marijuana or
	depressant or stimulant drugs or substances, shall be dismissed from the
	employment of the AAOC or rotorcraft external-load operator
	certificate holder.

	(6) The Authority may suspend or revoke the certificate of an AAOC or rotorcraft
	external-load operator certificate holder who refuses to dismiss from its
T	employment a person convicted under sub regulation (3).
Inspection of licences	74. A person who holds a licence, certificate,
,certificates approval, authorization or	authorisation or other document required by these Regulations
	shall present it for inspection upon a request from the
exemption	Authority or any person authorised by the Authority.
Change of name.	75. (1) A holder of a licence, certificate, authorisation or
	other document issued under these Regulations may apply to
	change the name on a licence, certificate, authorisation or such
	other document.
	(2) The holder shall include with any such request:
	(a) the current licence, certificate, authorisation or such other document sought to
	be amended; and
	(b) a court order or other legal document verifying the name change.
	(3) The Authority may change the licence, certificate, authorisation or such other
	document and issue a replacement thereof.
	(4) The Authority shall return to the holder the original documents specified in (4) and retain conjugate the normalized biogram is the probability of the probabi
	sub-regulation 2(b) and retain copies thereof and return the replaced licence,
	certificate or authorisation with the appropriate endorsement.
	(5) A licence contificate outhomization on other decument issued to a nervon under
	(5) A licence, certificate, authorisation or other document issued to a person under
Change of address	these Regulations is not transferable. 76 (1) A holder of a contribution of a participate or authorization issued under these Regulations
Change of address	76. (1) A holder of a certificate or authorisation issued under these Regulations shall notify the Authority of the change in the physical and mailing address
	and shall do so in the case of:
	(a) physical address, at least fourteen days in advance; and
	(b) mailing address upon the change.
	(b) manning address upon the enange.
	(2) A person who does not notify the Authority of the change in the physical
	address within the time frame specified in sub-regulation (1) shall not exercise the
	privileges of the certificate or authorisation.
Replacement of	77. A person may apply to the Authority in the prescribed form for replacement of
licence, certificate,	documents issued under these Regulations if such documents are lost or
approval,	destroyed.
authorization or	
exemption	
Suspension and	78. (1) The Authority may, where it considers it to be in the public interest,
revocation of licence,	suspend provisionally, pending further investigation, any certificate, approval,
certificate, approval	permission, exemption, authorisation or other document issued, granted or
authorization or	having effect under these Regulations.
	(2) The Authority may, upon the completion of an investigation which has shown
exemption	sufficient ground to its satisfaction and where it considers it to be in the public
	interest, revoke, suspend or vary any certificate, approval,
	permission, exemption or other document issued or granted under these
	Regulations.
	(3) The Authority may, where it considers it to be in the public interest, prevent
	any person or aircraft from flying.

	(4) A holder or any person having the possession or custody of any certificate,
	approval, permission, exemption or other documents which has been revoked,
	suspended or varied under these Regulations shall surrender it to the Authority
	within 14 days from the date of revocation, suspension or variation.
	(5) The breach of any condition subject to which any certificate, approval,
	permission, exemption or any other document has been granted or issued under
	these Regulations shall render the document invalid during the continuance of the
	breach.
Use and retention of	79. (1) A person shall not—
licence, certificate,	(a) use any certificate, approval, permission, exemption or other document issued
authorization and	or required by or under these Regulations which has been forged, altered, revoked
records	or suspended or to which he or she is not entitled;
records	(b) forge or alter any certificate, approval, permission, exemption or other
	document issued or required by or under these Regulations;
	(c) lend any certificate, approval, permission, exemption or other document issued
	or required by or under these Regulations to any other person; or
	(d) make any false representation for the purpose of procuring for himself or
	herself or any other person the issue, renewal or variation of any such certificate,
	approval, permission or exemption or other document.
	(2) During the period for which a record is required
	under these Regulations to be preserved, a person shall not
	mutilate, alter, render illegible or destroy any records or any
	entry made therein, required by or under these Regulations to
	be maintained or knowingly make or procure or assist in the
	making of any false entry in any such record or wilfully omit
	to make a material entry in such record.
	(3) A record required to be maintained by or under these Regulations shall be
	recorded in a permanent and indelible material.
	(4) A person shall not purport to issue any certificate, document or exemption
	under these Regulations unless he or she is authorised to do so by the Authority.
	(5) A person shall not issue any certificate of the kind referred to in sub-regulation
	(4) unless he or she has satisfied himself or herself that all statements in the
	certificate are correct and that the applicant is qualified to hold that certificate.
Reports of violation	80. (1) A person who knows of a violation of the Civil Aviation Authority Act or
	any regulation or order issued under the Act, shall report it to the Authority.
	(2) The Authority will determine the nature and type of any additional
	investigation or enforcement action that need be taken.
Enforcement	81. A person who fails to comply with any direction given to him or her by the
of directives	Authority or by any authorised person under any provision of these
	Regulations shall be deemed for the purposes of these Regulations to have
	contravened that provision.
Aeronautical	82. (1) The Authority may notify the fees to be charged in connection with the
user fees	application, issue, validation, renewal, extension or variation of any certificate,
	licence or other document, including the issue of a copy thereof or the
	undergoing of any examination, test, inspection or investigation or the grant of
	any permission or approval, required by or for the purpose of these
	Regulations or any orders, notices or proclamations made thereunder.
	(2) Upon an application being made in connection with which any fee is
	chargeable, the applicant shall be required, before the application is entertained, to
	pay the application fee.

	(3) If, after the payment has been made, the application is withdrawn by the			
	applicant or otherwise ceases to have effect or is refused, the Authority, shall not			
	refund the application fee made.			
Application	83. (1) These Regulations shall apply to aircraft, not being military aircraft,			
of Regulations	belonging to or exclusively employed in the service of the Government and			
to Government	the purposes of such application, the Department or other authority for the time			
and visiting forces,	being responsible for management of the aircraft shall be deemed to be the			
and visiting for ces,				
	operator of the aircraft and in the case of an			
	aircraft belonging to the Government, to be the owner of the interest of the			
	Government in the aircraft.			
	(2) Except as otherwise expressly provided, the naval, military and air force			
	authorities and member of any visiting force and property held or used for the			
	purpose of such a force shall be exempt from the provision of these regulations to			
	the same extent as if the visiting force formed part of the military force of			
	Uganda.			
Extraterritorial	84. Except where the context otherwise requires, these Regulations:			
Application of these	(a) in so far as they apply, whether by express reference or otherwise, to aircraft			
Regulations	registered in Uganda, shall apply to such aircraft wherever they may be;			
Regulations	(b) in so far as they apply, whether by express reference or otherwise, to other			
	aircraft, shall apply to such aircraft when they are within Uganda;			
	(c) in so far as they prohibit, require or regulate, whether by express reference or			
	otherwise, the doing of anything by any person in or by any of			
	the crew of, any aircraft registered in Uganda, shall apply to such persons and			
	crew, wherever they may be; and			
	(d) in so far as they prohibit, require or regulate, whether by express reference or			
	otherwise, the doing of anything in relation to any aircraftregistered in Uganda by			
	other persons shall, where such persons are citizens of Uganda, apply to them			
	wherever they may be.			
	Part 7.2 Offences and Penalties			
Contravention	85. A person who contravenes any provision of these Regulations may have his or			
of Regulations	her licence, certificate, approval, authorisation, exemption or other document			
or regulations	revoked or suspended.			
Penalties	86. (1) Where any provision of these Regulations, orders, notices or proclamations			
renatues				
	made under these Regulations is contravened in relation to an aircraft, the			
	operator of that aircraft and the pilot in command, if the operator or the PIC is			
	not the person who contravened that provision shall, without prejudice to the			
	liability of any other person under these Regulations for that contravention be			
	deemed to have contravened that provision unless he or she proves that the			
	contravention occurred without his or her consent or connivance and that all			
	due diligence was exercised to prevent the contravention.			
	(2) A person who contravenes any provision specified as an "A" provision in the			
	Schedule to these Regulations commits an offence and is liable on conviction to a			
	fine not exceeding one million shillings for each offence or to imprisonment for a			
	term not exceeding one year or to both.			
	(3) A person who contravenes any provision specified as a "B" provision in the			
	Schedule to these Regulations commits an offence and is liable on conviction to a			
	fine not exceeding two million shillings for each offence or to imprisonment for a term not exceeding three years or to both.			

	(4) A person who contravenes any provision of these Regulations not being a provision referred to in the Schedule to these Regulations, commits an offence and is liable on conviction to a fine not exceeding two million shillings and in the case of a second or subsequent conviction for the likeoffence, to a fine not exceeding four million shillings.
Revocation and Savings	87. The Civil Aviation (Aerial Work) Regulations ,2006 SI No. 27 of 2006 is revoked.
	(2) A valid Licence, certificate, approval, authorization, exemption or any other document issued or granted by the Authority before the commencement of these regulations shall, until its expiry, have effect as if issued under these Regulations

SCHEDULE

Reg. No	TITLE PART	PART
5	Certificate required	А
10	Drug Trafficking	А
12	Carrying and display of certificate	А
13	Limitations on private agricultural aircraft operator	А
14	Manner of dispensing	А
15	Economic poison dispensing	А
16	Personnel	А
18	Operations in controlled airspace designated for an airport	А
21	Operation over congested areas: general.	А
22	Operation over congested areas: pilots and aircraft	А
23	Business name: commercial agricultural aircraft operator	А
24	Access for inspection.	А
25	Records: commercial agricultural aircraft operator	А
33	Rotorcraft	А
34	Personnel	А
37	Availability, display, and surrender of certificate	А
39	Operating rules	А
40	Carriage of persons	А
41	Crew member training, currency, and testing requirements	А
42	Access for inspection	А
44	Structures and design	А
45	Operating limitations	А
48	Towing of gliders	А
49	Glider towing: experience and training requirements	А
50	Towing, picking up and raising of persons, animals and articles	А
52	Dropping of articles and animals	А
53	Dropping of persons	А
54	Authorisation required	А
55	Aircraft requirements	А
56	Experience and training requirements	А
57	Operating rules	А
58	Authorisation required	А
59	Aircraft requirements	А

60	Experience and training requirements	А
61	Special authorisation requirements	А
63	Operating rules	А
64	Exhibition Flights	А
66	Traffic reporting	А
67	Game viewing or tracking operation	А
68	Competitive motor vehicle operations	А
69	Fish spotting	А
72	Possession of a licence	А
74	Inspection of licences and certificates	А
78	Suspension and revocation of License, certificate, approval, authorisation and	В
	exemption	
79	Use and retention of certificates and records	В